

SIMPLY BETTER.

# BESSEY Pricelist

(April 2026)



20

27

# Table of contents



<b>A</b> .....	20
Adapter for multifunction tables STC-SET-T20.....	20
Adapter for multifunction tables STC-SET-T20.....	28
All-steel screw clamp classIX GS with tommy bar.....	12
All-steel screw clamp classIX GS with tried-and-tested wooden handle.....	11
All-steel table clamp GTR.....	25
All-steel table clamp GTRH with lever handle.....	25
Aluminium mini clamp AM.....	24
American pattern snips D146.....	38
Angle clamp WS.....	26
Angle clamp WS.....	26
Angled combi snips D48A.....	40
Angled combi snips D48A-2.....	39
Angle door frame straightening clamp WTR.....	29
Area pressure clamps FK.....	22
Aviation snips D16.....	35
Aviation snips D16L.....	35
Aviation snips D16S.....	36
Aviation snips display D16S-D.....	36
<b>B</b> .....	26
Band clamp BAN 400.....	26
Band clamp BAN 700.....	26
BAS-CB compact clamp, fixing hole closed.....	19
BAS-C compact clamp, fixing hole open.....	18
Base unit BASO.....	19
Bench dog for multifunctional tables BH-MFT.....	28
Berlin pattern snips D202/D102.....	38
<b>NEW</b> Body clamp set KRE-SET-A.....	21
Box clamp KS.....	22
<b>C</b> .....	40
Cable cutters D49.....	40
Cable cutters D49-2.....	39
C-clamp CDF-C.....	16
C-clamp SC.....	15
C-clamp VC.....	15
Ceiling tripod attachment STE-DS.....	31
C-frame edge clamp KT.....	27
C-grip GRZC.....	16
Clamping element for multifunction tables TW-KLI (2 pcs./bag).....	28
<b>NEW</b> Clamping element with fixed throat depth TW.....	17
<b>NEW</b> Clamping element with fixed throat depth TW.....	27
Clamping element with gripping arm TW28GRS.....	18
Clamping element with special pressure plate TWM28.....	17
Clamping element with variable throat depth TWV.....	17
Clamping element with variable throat depth TWV.....	27
<b>NEW</b> Clamping tool set for working on the table MFT-A.....	28
Clamp trolley ZW 1.....	33
Clamp trolley ZW 2.....	33
Claw clamp GRA.....	14
Claw machine clamp GRS.....	19
Combi-bag for ceiling supports STE-BAG.....	32
Combinox D50.....	39
Complete sliding arm for GSV sizes.....	15
Complete sliding arm for SLV sizes.....	15
Construction tripod STE-BS.....	32
Corner seaming and clinching pliers D335.....	43
<b>NEW</b> Cross connector STE-CC-SET.....	32
<b>D</b> .....	10
Deep throat clamp TGNT with tried-and-true wooden handle.....	10
Deep throat screw clamp TGNT with tommy bar.....	10
Die-cast zinc screw clamp LM.....	24
Display, unstocked DVK.....	39
Door frame assembly device TMS.....	30
Door frame brace extension TUX.....	29
Door frame clamp set TU-TRAGE.....	29
Door frame clamp TU.....	29
Door frame straightening clamp TFM.....	29
<b>E</b> .....	16
Earth (ground) clamp CP.....	16
Earth (ground) clamp LP / TP with thumb screw.....	16
Earth (ground) clamp LP / TP with tried-and-true wooden handle.....	16
Earth (ground) clamp TP with tommy bar.....	16
Edge clamp Kantenfix KF.....	27
Edge clamp KT.....	17
Edge clamp KT.....	27
Electricians' scissors D53.....	41
Extension TWX.....	18
<b>F</b> .....	14
Fitters' clamp classIX GSL.....	14
Fitters' clamp SLM.....	13
Flat-nosed pliers for sheet metal work D301.....	43
Flooring and clamping system SVH/SVG.....	30
Folding pliers D355.....	43
Folding utility knife DBK-EU.....	40
Framing set KP.....	21
<b>G</b> .....	22
GearKlamp GK.....	22

GSV size rails.....	15
Gutter support bowing pliers open shap D396.....	43
<b>H</b> .....	9
Heavy duty malleable cast iron screw clamp TGKR with tried-and-true wooden handle.....	9
Heavy duty malleable cast iron screw clamp TGK with 2-component plastic handle.....	6
Heavy duty malleable cast iron screw clamp TGK with tommy bar.....	8
Heavy duty malleable cast iron screw clamp TGK with tried-and-true wooden handle.....	7
Heavy duty malleable cast iron screw clamp TKPN with tried-and-true wooden handle.....	9
High-performance clamp classIX GSM.....	14
High-performance clamp SGM.....	13
High-performance clamp SGTM, large throat depth.....	13
High-performance clamp STBM.....	13
High-performance clamp STBS.....	13
High-performance clamp STBVC.....	13
High-tech lever clamp KliKlamp counter display KLI-D.....	24
High-tech lever clamp KliKlamp KLI.....	24
High-tech lever clamp KliKlamp set in systainer KLI-S.....	24
Hold down table clamps BS.....	19
Hold down table clamps BSG.....	19
Horizontal fixture clamp WNS-SET-MFT.....	28
Horizontal toggle clamp with open arm and horizontal base plate STC-HH.....	19
Household and dressmakers' shears D840.....	41
HSS punch snips D407.....	36
HSS shape and straight cutting snips D27AH.....	36
HSS shape and straight cutting snips D416.....	37
HSS shape and straight cutting snips HSS D416-280L.....	37
HSS-TiN shape and straight cutting snips D27AH-TiN.....	36
<b>I</b> .....	35
Ideal snips, manoeuvrable D08.....	35
Industrial and professional shears D860.....	41
<b>NEW</b> Installation kit BEYCEPS BEY-IK.....	20
Installation kit for EZ-TD decking boards EZ-TD.....	23
<b>J</b> .....	40
Jewellers' snips D70/D71.....	40
Jewellers' snips D72.....	40
Jewellers' snips D74/D75.....	41
Jewellers' snips D76.....	41
<b>K</b> .....	22
K Body parallel clamp extender KBX.....	22
K Body REVO parallel clamp KRE.....	21
Knife-set DBKPH-SET.....	40
KombiKlamp SG-VAD.....	14
<b>L</b> .....	32
<b>NEW</b> Large multifunction fixture STE-MH-SET.....	32
Lever clamp classIX GSH.....	13
Lever clamp GH.....	12
Lever clamp SGHS, heavy duty.....	12
Light duty bar clamp U-style LMU.....	24
Lightweight parallel clamp UK UniKlamp.....	22
<b>M</b> .....	9
Malleable cast iron screw clamp TGRC with tried-and-true wooden handle.....	9
Malleable cast iron screw clamp TPN with 2-component plastic handle.....	8
Malleable cast iron screw clamp TPN with tried-and-true wooden handle.....	8
Mini-folding pliers D331-22/D341-22.....	42
Mini Vice S 10.....	25
Mitre clamping system MCX.....	26
Multi angle pad VAD (2 pcs./bag).....	16
Multi-function/laser fixture STE-LH.....	31
Multi-purpose cutters D47-2/D48-2.....	39
Multi-purpose cutters D47/D48.....	39
Multi-purpose shears D820.....	41
Multi-purpose shears D821.....	41
MULTISNIP Longstyle D22A.....	35
MULTISNIP Master D51A.....	39
Multitool DBST.....	40
<b>N</b> .....	26
Needle nose spring clamp Clippix XCL.....	26
<b>O</b> .....	12
OMEGA screw clamp GMZ with 2-component plastic handle.....	12
OMEGA-screw clamp GMZ with tommy bar.....	12
One-handed clamp DuoKlamp DUO.....	23
One-handed clamp EHZ with 2-component handle.....	22
One-handed clamp EZ.....	23
One-handed clamp EZS.....	23
<b>NEW</b> One-handed clamp set EZM-EZL-SET.....	23
<b>NEW</b> One-handed clamp with rotating handle EZ360.....	22
One-handed clamp EKT.....	26
<b>NEW</b> One-handed lifting tool BEYCEPS BEY23.....	20
<b>NEW</b> One-handed table clamp with rotating handle for guide rails EZR360 (2 pcs./package).....	25
Original BESSEY all-steel screw clamp GZ with 2-component plastic handle.....	10
Original BESSEY all-steel screw clamp GZ with swivel handle.....	11
Original BESSEY all-steel screw clamp GZ with tommy bar.....	11
Original BESSEY all-steel screw clamp GZ with tried-and-tested wooden handle.....	11
Original BESSEY malleable cast iron screw clamp TG with 2K plastic handle.....	6
Original BESSEY malleable cast iron screw clamp TG with tommy bar.....	7
Original BESSEY malleable cast iron screw clamp TG with tried-and-true wooden handle.....	7

<b>P</b> .....	27
Panel carrier KFP.....	27
Paperhangers' and paper shears D853.....	41
Parallel grip GRZ.....	16
Parallel screw clamp PA.....	24
Pelican snips D218/D118.....	37
Pipe clamping set BPC.....	30
Pipe grip GRZRO.....	16
Pipe-pulling pliers D36.....	43
Pressure cap strips SKS (2 pcs./bag).....	7
Pressure cap strips SKS (2 pcs./bag).....	11
Pressure cap strips SKS (2 pcs./bag).....	12
Pressure piece GRD (2 pcs./bag).....	14
Punch snips D207/D107.....	38
Punch snips with curved blades D208.....	38
Push/pull clamp with horizontal base plate STC-IHH.....	20
<b>R</b> .....	23
Rafter clamp SPZ.....	23
Ratchet clamp XCR.....	26
Replacement contact surface.....	31
Round nosed pliers D311.....	43
<b>S</b> .....	41
Safety strap cutter D123S.....	41
Sash clamps TB with T-profile 40 x 40 x 5 mm.....	30
Sash clamps TL, light with I-profile 37 x 11 x 4.5 mm.....	30
Seaming and clinching pliers D33/D34/D35.....	42
Seaming and clinching pliers D33-P/D34-P/D35-P.....	42
Seaming tool PS 55.....	29
Seaming tool PS 130, big and strong.....	29
Set of aviation snips DSET16.....	36
Set of shape and straight cutting snips DSET15.....	36
Set of shape and straight cutting snips DSET29-15.....	34
Set of standard tin snips DSET-SF3.....	37
Shape and straight cutting snips D27A.....	34
Shape and straight cutting snips D29ASS-2.....	34
Shape and straight cutting snips D39ASS.....	34
Shape and straight cutting snips D212/D116.....	37
Shape and straight cutting snips D216...-SBSK.....	37
Shape and straight cutting snips, robust D17ASS/D17A.....	35
Shape and straight cutting snips, small and manoeuvrable D15A.....	36
Shape cutting punch snips D214/D114.....	38
Shape cutting snips D27.....	35
Shape cutting snips D29SS-2.....	34
SLV size rails.....	15
<b>NEW</b> Small construction tripod STE-KBS.....	32
Spacer AV2 (4 pcs./bag).....	30
Spacer PVA.....	30
Spare blades DBK.....	40
<b>NEW</b> Special pressure plate.....	15
<b>NEW</b> Special pressure plate for SPZ80K.....	23
<b>NEW</b> Special pressure plate for TWM28.....	17
Spring clamp Clippix XC.....	25
Spring clamp VarioClippix XV.....	25
Spring clamp VarioClippix XV.....	25
Spring clamp XM.....	26
Squeeze-folding pliers D336.....	43
STC accessory set for multifunction tables.....	20
STC accessory set for multifunction tables.....	29
Steel strap cutter D122A.....	42
Steel strap cutter D122N.....	42
Straight cutting snips D27B.....	35
Straight cutting snips D29BSS-2.....	34
Strong multi-purpose cutters D52-2.....	39
Support plate STE-SP35.....	31
<b>T</b> .....	22
Table clamp.....	22
Table clamp.....	25
Telescopic drywall support ST.....	31
Telescopic drywall support STE with pump grip.....	31
Tilting adapter TW28AV.....	18
Tilting K Body clamp adapter KR-AS (2 pcs./bag).....	21
Toggle clamp adapter TWA-STC.....	18
Toggle clamp systainer STC-S-MFT.....	28
<b>U</b> .....	38
Universal snips D106.....	38
Universal snips with wide blade D106A.....	38
U-shaped all-steel screw clamp GUZ.....	14
U-shaped high-performance clamp SGU.....	14
U-shaped high-performance clamp STBU.....	14
U-shaped lever clamp GUH.....	14
<b>V</b> .....	15
Variable high performance clamps – Complete set GSV.....	15
Variable high-performance clamps – Complete set SLV.....	15
Variable jaw KRE-VO.....	21
Vario corners BVE (6 pcs./bag).....	26

Vario K Body REVO parallel clamp KREV.....	21
Vario table clamping attachment TWVAD (2 pcs./bag).....	18
Vertical toggle clamp with open arm and horizontal base plate STC-VH.....	19
<b>W</b> .....	17
Welders' angle clamps WSM.....	17
Welding clamp set SM 10.....	17
Window installation clamp FRK.....	30
Wood Klemmy HKL.....	24
Workbench adapter TW16AW.....	27

All prices are non-binding recommended prices without sales tax.

V1–V3 = Clamping Technology discount groups  
V4–V6 = Cutting Technology discount groups  
PU = Packaging unit

You have to place your orders only in packaging units.

L = Left cut design

Standard tin snips with a rocker spring, available on request for an extra charge.

The BESSEY Product Development Department reserves the right for technical alterations.

Errors and omissions excepted to the best of our knowledge the information supplied is accurate.



Note that you are not entitled to any claims from the contract or delict, in particular product liability claims due to personal injuries or material damage, from our company if you do not observe our **warning and usage notices**.





# Alphabetic register









3100736	15	D29ASS-2	34	D216-260L	37	EZXL30-9	23	GU25-12-6ZK	14	KSV	22
3100736	17	D29ASS-2-SB	34	D216-280	37	EZXL60-9	23	GZ10	11	KT5-1CP	17
3100736	23	D29ASSL-2	34	D216-280-B-SBSK	37	EZXL90-9	23	GZ10-2K	10	KT5-1CP	17
3100737	15	D29ASSL-2-SB	34	D216-280L	37	FK16-8	22	GZ12	11	KT5-2	17
3101192	15	D29BSS-2	34	D216-280L-B-SBSK	37	FK20-10	22	GZ12-2K	10	KT5-2	17
3101192	17	D29BSSL-2	34	D218-300	37	FK40-10	22	GZ16	11	KT8-3	17
3101192	23	D29SS-2	34	D218-300L	37	FRK85	30	GZ16-2K	10	LM10/5	24
3101193	15	D29SSL-2	34	D218-350	37	GH12	12	GZ16K	11	LM10/5R8	24
3101193	17	D33-60	42	D301	43	GH16	12	GZ20	11	LM10/5R8	24
3101193	23	D33-60-P	42	D311	43	GH20	12	GZ20-2K	10	LM15/5	24
3101329	15	D34-60	42	D331-22	42	GH20-8	12	GZ20K	11	LM15/5R8	24
3101330	15	D34-60-P	42	D331-40	42	GH25	12	GZ25	11	LM15/5R8	24
3101331	15	D35-60	42	D331-60	42	GH30	12	GZ25-2K	10	LM15/8	24
3101337	15	D35-60-P	42	D331-60-P	42	GH30-12	12	GZ25K	11	LM20/5	24
3101338	15	D36	43	D331-80	42	GH40	12	GZ25KG	11	LM20/8	24
3101426	15	D39ASS	34	D335	43	GH40-12	12	GZ30	11	LM20/10	24
3101612	15	D39ASSL	34	D336	43	GH50	12	GZ30-2K	10	LM25/5	24
3101731	15	D39ASSL-SB	34	D341-22	42	GH60	12	GZ30-6	12	LM25/8	24
3101732	15	D39ASS-SB	34	D341-40	42	GH80	12	GZ30-10	11	LM25/10	24
3101733	15	D47	39	D341-60	42	GH100	12	GZ30-12	11	LM30/5	24
3101952	31	D47-2	39	D341-60-P	42	GK15	22	GZ30-12-2K	10	LM30/8	24
<b>NEW</b> 3102127	15	D48	39	D341-80	42	GK30	22	GZ30-12KG	11	LM30/10	24
<b>NEW</b> 3102127	17	D48-2	39	D351-60	42	GK45	22	GZ30K	11	LM40/10	24
<b>NEW</b> 3102127	23	D48A	40	D351-60-P	42	GK60	22	GZ40	22	LM50/10	24
AM4	24	D48A-2	39	D355	43	GM16Z-2K	12	GZ40-2K	10	LM60/10	24
AV2	30	D49	40	D396	43	GM20Z-2K	12	GZ40-8-2K	10	LM80/10	24
BAN400	26	D49-2	39	D407-275	36	GM20ZK	12	GZ40-12	11	LMU10/5	24
BAN700	26	D50	39	D407-275L	36	GM25Z-2K	12	GZ40-12-2K	10	LMU15/5	24
BAS-C9-4	18	D51A	39	D407-300	36	GM25ZK	12	GZ40-12KG	11	LMU20/5	24
BAS-C10-6	18	D52-2	39	D407-300L	36	GM30Z-2K	12	GZ40K	11	LP-1	16
BAS-CB9-4	19	D53	41	D416-280	37	GM30ZK	12	GZ50	11	LP-1F	16
BAS-CB10-6	19	D70-1	40	D416-280L	37	GM40Z-2K	12	GZ50-2K	10	MCX	26
BASO	19	D71-1	40	D418-300	37	GM50Z-2K	12	GZ50-12-2K	10	<b>NEW</b> MFT-A	28
<b>NEW</b> BEY23	20	D72-1	40	D418-350	37	GM50ZK	12	GZ50-12KG	11	PA28	24
<b>NEW</b> BEY-1K	20	D74-1	41	D820-200	41	GM60Z-2K	12	GZ50K	11	PA40	24
BH-MFT	28	D75-1	41	D820-250	41	GM60ZK	12	GZ60	11	PA55	24
BPC-H12	30	D76-1	41	D821-160	41	GRA30-12	14	GZ60-2K	10	PA70	24
BPC-H34	30	D102-250	38	D821-180	41	GRA60-12	14	GZ60-12-2K	10	PA105	24
BS2N	19	D102-250-SB	38	D840-150	41	GRA100-12	14	GZ60-12KG	11	PS55	29
BS3N	19	D102-300	38	D840-180	41	GRD	14	GZ60K	11	PS130	29
BS4N	19	D106-250-SB	38	D853-200	41	GRS20-12	19	GZ80	10	PVA	30
BS5N	19	D106A-250-SB	38	D860-200	41	GRZ10	16	GZ80-2K	10	RB269	22
BS6N	19	D107-250	38	D860-225	41	GRZ20	16	GZ80-12-2K	10	RB269	25
BSG21-14	19	D107-250L	38	D860-250	41	GRZC	16	GZ80K	11	S10-ST	25
BSP-C10-6	18	D107-250L-SB	38	DBKAH-EU	40	GRZRO	16	GZ100	11	SC40	32
BSP-CB10-6	19	D107-250-SB	38	DBK-H	40	GS10	11	GZ100-2K	10	SC60	32
BVE	26	D107-275	38	DBK-L	40	GS12	11	GZ100-12-2K	10	SC80	32
CDF403C	16	D107-275L	38	DBKPH-EU	40	GS16	11	GZ100K	11	SC100	32
CDF404C	16	D107-300	38	DBKPH-SET	40	GS16K	12	GZ125	11	SC120	32
CDF406C	16	D107-300L	38	DBK-T	40	GS20	11	GZ125-2K	10	SC150	32
CDF408C	16	D114-250	38	DBKWH-EU	40	GS20K	12	GZ125K	11	SC200	32
CDF410C	16	D114-250L	38	DBST	40	GS25	11	HKL20	24	SG-25HS	12
CP-F	16	D116-260	37	DSET15	36	GS25K	12	HKL30	24	SG25M	13
D08	35	D116-260L	37	DSET16	36	GS30	11	HKL40	24	SG30M	13
D08L	35	D116-260L-SB	37	DSET29-15	34	GS30K	12	HKL60	24	SG30T20M	13
D08L-SB	35	D116-260-SB	37	DSET-SF3	37	GS40	11	HKL80	24	SG30VAD	14
D08-SB	35	D116-280	37	DUO16-8	23	GS40K	12	HKL100	24	SG40M	13
D15A	36	D116-280L	37	DUO30-8	23	GS50	11	KBX20	22	SG-50HS	12
D15AL	36	D116-280L-SB	37	DUO45-8	23	GS50K	12	KF2	27	SG50M	13
D15AL-SB	36	D116-280-SB	37	DUO65-8	23	GS60	11	KF4	27	SG60M	13
D15A-SB	36	D118-300	37	DVK	39	GS60K	12	KFP	27	SG60T20M	13
D16	35	D118-300L	37	EHZ30-2K	22	GS80	11	KLI12	24	SG80M	13
D16L	35	D118-300L-SB	37	EHZ60-2K	22	GS80K	12	KLI16	24	SG100M	13
D16S	35	D118-350	37	EKT55	26	GS100	11	KLI20	24	SG125M	13
D16S-D	36	D122A	42	EZ360-15	22	GS100K	12	KLI25	24	SG150M	13
D16S-SB	36	D122N	42	EZ360-30	22	GS112	13	KLI30	24	SGU30-14-10	14
D17A	35	D123S	41	EZ360-45	22	GS16	13	KLI40	24	SKS10/20	11
D17AL	35	D123S-SB	41	EZ360-60	22	GS20	13	KLI-D	24	SKS10/20	11
D17ASS	35	D146-200	38	<b>NEW</b> EZ360M-15	22	GS25	13	KLI-S	24	SKS10/20	12
D17ASSL	35	D146-250	38	<b>NEW</b> EZ360M-30	22	GS30	13	KP	21	SKS20/40	7
D22A	35	D146-350	38	<b>NEW</b> EZ360S-11SET	22	GS40	13	KR-AS	21	SKS20/40	11
D22A-SB	35	D202-250	38	EZL15-8	23	GS40	13	KRE30-2K	21	SKS20/40	12
D27	35	D202-300	38	EZL30-8	23	GS50	13	KRE60-2K	21	SL20M	13
D27A	34	D207-250	38	EZL45-8	23	GS60	14	KRE80-2K	21	SL25M	13
D27AH	36	D207-250L	38	EZL60-8	23	GS60K	14	KRE100-2K	21	SL30M	13
D27AHL	36	D207-275	38	EZM15-6	23	GSM25	14	KRE125-2K	21	SL40M	13
D27AHL-TIN	36	D207-275L	38	EZM30-6	23	GSM30	14	KRE150-2K	21	SL50M	13
D27AH-TIN	36	D207-300	38	<b>NEW</b> EZM-EZL-SET	23	GSM40	14	KRE200-2K	21	SL60M	13
D27AL	34	D207-300L	38	<b>NEW</b> EZR360-15SET	25	GSM50	14	KRE250-2K	21	SLV100M	15
D27AL-SB	34	D208-275	38	EZS11-4SET	23	GSM60	14	<b>NEW</b> KRE-SET-A	21	SLV150M	15
D27A-SB	34	D208-275L	38	EZS15-8	23	GSV300M	15	KREV100-2K	21	SLV200M	15
D27B	35	D214-250	38	EZS30-8	23	GTR12	25	KREV150-2K	21	SM10-SET	17
D27BL	35	D214-250L	38	EZS45-8	23	GTR12SET	25	KREV200-2K	21	SPZ60K	23
D27L	35	D216-260	37	EZS60-8	23	GTR16B6	25	KREV250-2K	21	SPZ80K	23
				EZS90-8	23	GTR16S6H	25	KRE-VO	21	ST125	31
				EZ-TD	23	GTR30B6	25	KS100	22	ST250	31
						GU25-12-6H	14	KS150	22	ST290	31

STB30M	13	TG30K	7	TGN40T40K	10	TP150S14BE	8	VC6	15
STB40M	13	TG30S10	7	TGN60T20	10	TP200S14BE	8	VC8	15
STB50M	13	TG30S10-2K	6	TGN60T25	10	TPN10BE	8	VC10	15
STB60M	13	TG30S12	7	TGN60T25K	10	TPN12BE	8	WNS-SET-MFT	28
STB80M	13	TG30S12-2K	6	TGN60T30	10	TPN15B5BE	8	WS1	26
STB100M	13	TG40	7	TGN60T30K	10	TPN16BE	8	WS3	26
STB125M	13	TG40-2K	6	TGN60T40	10	TPN16BE-2K	8	WS6	26
STB150M	13	TG40B8	7	TGN60T40K	10	TPN20B5BE	8	WSM9	17
STBS30	13	TG40B8-2K	6	TGN60T50	10	TPN20B6BE	8	WSM12	17
STBS50	13	TG40K	7	TGN60T50K	10	TPN20B8BE	8	WTR	29
STBS100	13	TG40S10	7	TGN80T20	10	TPN20BE	8	XC1	25
STBU40-17-15	14	TG40S10-2K	6	TGN80T25	10	TPN20BE-2K	8	XC1-SET	25
STBVC15	13	TG40S12	7	TGN80T25K	10	TPN25B8BE	8	XC2	25
STBVC25	13	TG40S12-2K	6	TGN80T30	10	TPN25BE	8	XC3	25
STBVC35	13	TG40S12K	7	TGN80T30K	10	TPN25BE-2K	8	XC5	25
STC-HH20	19	TG40S14	7	TGN80T40	10	TPN25S10BE	8	XC7	25
STC-HH20SB	19	TG40S14-2K	6	TGN80T40K	10	TPN30B8BE	8	XCL2	26
STC-HH50	19	TG50S10	7	TGN80T50	10	TPN30BE	8	XCL2-SET	26
STC-HH50SB	19	TG50S10-2K	6	TGN80T50K	10	TPN30BE-2K	8	XCL5	26
STC-HH50-T20	20	TG50S12	7	TGN100T20	10	TPN30S10BE	8	XCR2	26
STC-HH50-T20	29	TG50S12-2K	6	TGN100T25	10	TPN30S12BE	8	XCR4	26
STC-HH70	19	TG50S14	7	TGN100T30	10	TPN40BE	8	XM3EU	26
STC-HH70SB	19	TG50S14-2K	6	TGN100T40	10	TPN40BE-2K	8	XM5EU	26
STC-HH70-T20	29	TG50S17	7	TGN150T30	10	TPN40S10BE	8	XM7EU	26
STC-HH70-T20	29	TG50S17-2K	6	TGN200T30	10	TPN40S12BE	8	XV3-50	25
STC-IHH15	20	TG60S12	7	TGN250T30	10	TPN40S12BE-2K	8	XV5-100	25
STC-IHH25	20	TG60S12-2K	6	TGRC10	9	TPN40S14BE	8	XV5-170	25
STC-IHH25SB	20	TG60S14	7	TGRC12	9	TPN50S12BE	8	ZW1	33
STC-IHH25-T20	20	TG60S14-2K	6	TGRC15B5	9	TPN50S12BE-2K	8	ZW1-A01	33
STC-IHH25-T20	29	TG60S17	7	TGRC16	9	TPN50S14BE	8	ZW1-A01-2K	33
STC-SET-T20	20	TG60S							

	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
 <ul style="list-style-type: none"> <li>• Clamping force up to 6,000 N</li> <li>• High-quality 2-component plastic handle</li> <li>• Pressure plates can be replaced by hand – no tools required (from 80 mm throat depth)</li> <li>• With protective caps on the clamping surfaces</li> <li>• Stable profiled rail with serration</li> <li>• BESSEY anti-slip system (from 80 mm throat depth)</li> </ul>	<b>Original BESSEY malleable cast iron screw clamp TG with 2K plastic handle</b>							
	TG10-2K	100	50	15 x 5	4008158031620	10	V1	18,94
	TG12-2K	120	60	20 x 5	4008158031637	10	V1	25,23
	TG16-2K	160	80	25 x 6	4008158029979	10	V1	30,25
	TG20B8-2K	200	80	25 x 6	4008158029986	10	V1	30,61
	TG25B8-2K	250	80	25 x 6	4008158029993	10	V1	31,42
	TG30B8-2K	300	80	25 x 6	4008158030005	10	V1	33,06
	TG40B8-2K	400	80	25 x 6	4008158030012	10	V1	35,87
	TG20-2K	200	100	27 x 7	4008158030029	10	V1	41,58
	TG25S10-2K	250	100	27 x 7	4008158030036	10	V1	45,67
	TG30S10-2K	300	100	27 x 7	4008158030043	10	V1	48,24
	TG40S10-2K	400	100	27 x 7	4008158030050	10	V1	52,57
	TG50S10-2K	500	100	27 x 7	4008158030067	10	V1	55,02
	TG25-2K	250	120	29 x 9	4008158030074	10	V1	50,35
	TG30S12-2K	300	120	29 x 9	4008158030081	10	V1	54,31
	TG40S12-2K	400	120	29 x 9	4008158030098	10	V1	58,75
	TG50S12-2K	500	120	29 x 9	4008158030104	10	V1	63,08
	TG60S12-2K	600	120	29 x 9	4008158030111	5	V1	67,05
	TG80S12-2K	800	120	29 x 9	4008158030128	5	V1	74,99
	TG100S12-2K	1000	120	29 x 9	4008158030135	5	V1	83,99
	TG30-2K	300	140	32 x 10	4008158030142	10	V1	62,73
	TG40S14-2K	400	140	32 x 10	4008158030159	5	V1	70,66
	TG50S14-2K	500	140	32 x 10	4008158030166	5	V1	76,50
	TG60S14-2K	600	140	32 x 10	4008158030173	5	V1	81,88
	TG80S14-2K	800	140	32 x 10	4008158030180	5	V1	93,32
	TG100S14-2K	1000	140	32 x 10	4008158030197	5	V1	106,52
	TG40-2K	400	175	32 x 10	4008158030203	5	V1	76,04
	TG50S17-2K	500	175	32 x 10	4008158030210	1	V1	84,21
TG60S17-2K	600	175	32 x 10	4008158030227	1	V1	89,35	
TG80S17-2K	800	175	32 x 10	4008158030234	1	V1	100,68	
TG100S17-2K	1000	175	32 x 10	4008158030241	1	V1	112,37	
 <ul style="list-style-type: none"> <li>• Clamping force up to 7,000 N</li> <li>• Strengthened design for higher clamping force and wider opening widths</li> <li>• High-quality 2-component plastic handle</li> <li>• Pressure plates can be replaced by hand – no tools required</li> <li>• Stable profiled rail with serration</li> <li>• BESSEY anti-slip system</li> </ul>	<b>Heavy duty malleable cast iron screw clamp TKG with 2-component plastic handle</b>							
	TGK40-2K	400	120	35 x 11	4008158030258	5	V1	70,55
	TGK50-2K	500	120	35 x 11	4008158030265	5	V1	77,33
	TGK60-2K	600	120	35 x 11	4008158030272	5	V1	81,41
	TGK80-2K	800	120	35 x 11	4008158030289	5	V1	92,04
	TGK100-2K	1000	120	35 x 11	4008158030296	5	V1	102,79
	TGK125-2K	1250	120	35 x 11	4008158030302	1	V1	111,90
	TGK150-2K	1500	120	35 x 11	4008158030319	1	V1	124,74
	TGK200-2K	2000	120	35 x 11	4008158030326	1	V1	151,97
	TGK250-2K	2500	120	35 x 11	4008158030333	1	V1	183,96
	TGK300-2K	3000	120	35 x 11	4008158030340	1	V1	217,71

	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
 <ul style="list-style-type: none"> <li>• Clamping force up to 6,000 N</li> <li>• Ergonomically shaped wood handle</li> <li>• Pressure plates can be replaced by hand – no tools required (from 80 mm throat depth)</li> <li>• With protective caps on the clamping surfaces</li> <li>• Stable profiled rail with serration</li> <li>• BESSEY anti-slip system (from 80 mm throat depth)</li> </ul>	<b>Original BESSEY malleable cast iron screw clamp TG with tried-and-true wooden handle</b>							
	TG10	100	50	15 x 5	4008158008240	10	V1	18,11
	TG15B5	150	50	15 x 5	4008158008646	10	V1	20,55
	TG20B5	200	50	15 x 5	4008158008721	10	V1	21,26
	TG12	120	60	20 x 5	4008158008448	10	V1	24,18
	TG20B6	200	60	20 x 5	4008158008738	10	V1	24,99
	TG30B6	300	60	20 x 5	4008158008899	10	V1	29,44
	TG16	160	80	25 x 6	4008158008677	10	V1	28,97
	TG20B8	200	80	25 x 6	4008158008745	10	V1	29,31
	TG25B8	250	80	25 x 6	4008158008790	10	V1	30,14
	TG30B8	300	80	25 x 6	4008158008905	10	V1	31,76
	TG40B8	400	80	25 x 6	4008158009254	10	V1	34,57
	TG20	200	100	27 x 7	4008158008707	10	V1	40,06
	TG25S10	250	100	27 x 7	4008158008837	10	V1	44,15
	TG30S10	300	100	27 x 7	4008158008943	10	V1	46,72
	TG40S10	400	100	27 x 7	4008158009292	10	V1	51,04
	TG50S10	500	100	27 x 7	4008158010564	10	V1	53,50
	TG25	250	120	29 x 9	4008158008769	10	V1	48,48
	TG30S12	300	120	29 x 9	4008158008967	10	V1	52,44
	TG40S12	400	120	29 x 9	4008158010311	10	V1	56,88
	TG50S12	500	120	29 x 9	4008158010588	10	V1	61,21
	TG60S12	600	120	29 x 9	4008158010779	5	V1	65,18
	TG80S12	800	120	29 x 9	4008158010960	5	V1	73,11
	TG100S12	1000	120	29 x 9	4008158008264	5	V1	82,11
	TG30	300	140	32 x 10	4008158008868	10	V1	60,62
	TG40S14	400	140	32 x 10	4008158010335	5	V1	68,56
	TG50S14	500	140	32 x 10	4008158010601	5	V1	74,41
	TG60S14	600	140	32 x 10	4008158010793	5	V1	79,77
	TG80S14	800	140	32 x 10	4008158010984	5	V1	91,21
	TG100S14	1000	140	32 x 10	4008158008288	5	V1	104,42
	TG40	400	175	32 x 10	4008158009223	5	V1	73,93
	TG50S17	500	175	32 x 10	4008158010625	1	V1	82,11
TG60S17	600	175	32 x 10	4008158010816	1	V1	87,25	
TG80S17	800	175	32 x 10	4008158011004	1	V1	98,58	
TG100S17	1000	175	32 x 10	4008158008301	1	V1	110,25	
 <ul style="list-style-type: none"> <li>• For screw clamps</li> <li>• For gentle clamping</li> <li>• May be applied on both sides</li> <li>• Cut them to size</li> </ul>	<b>Pressure cap strips SKS (2 pcs./bag)</b>							
	SKS10/20				4008158025582	1	V3	9,23
SKS20/40				4008158025599	1	V3	9,46	
 <ul style="list-style-type: none"> <li>• Clamping force up to 7,000 N</li> <li>• Heavy duty, reinforced design for higher clamping force and wider opening widths</li> <li>• Ergonomically shaped wood handle</li> <li>• Pressure plates can be replaced by hand – no tools required</li> <li>• Stable profiled rail with serration</li> <li>• BESSEY anti-slip system</li> </ul>	<b>Heavy duty malleable cast iron screw clamp TKG with tried-and-true wooden handle</b>							
	TGK40	400	120	35 x 11	4008158011400	5	V1	68,45
	TGK50	500	120	35 x 11	4008158011448	5	V1	75,21
	TGK60	600	120	35 x 11	4008158011479	5	V1	79,30
	TGK80	800	120	35 x 11	4008158011509	5	V1	89,94
	TGK100	1000	120	35 x 11	4008158011134	5	V1	100,68
	TGK125	1250	120	35 x 11	4008158011165	1	V1	109,79
	TGK150	1500	120	35 x 11	4008158011196	1	V1	122,65
	TGK200	2000	120	35 x 11	4008158011257	1	V1	149,86
	TGK250	2500	120	35 x 11	4008158011318	1	V1	181,86
	TGK300	3000	120	35 x 11	4008158011349	1	V1	215,62
	 <ul style="list-style-type: none"> <li>• Clamping force up to 6,000 N</li> <li>• Tommy bar with rounded ends for simple transfer of force when clamping</li> <li>• Pressure plates can be replaced by hand – no tools required</li> <li>• With protective caps on the clamping surfaces</li> <li>• Stable profiled rail with serration</li> <li>• BESSEY anti-slip system</li> </ul>	<b>Original BESSEY malleable cast iron screw clamp TG with tommy bar</b>						
TG20K		200	100	27 x 7	4008158008752	10	V1	41,58
TG25K		250	120	29 x 9	4008158008813	10	V1	50,35
TG40S12K		400	120	29 x 9	4008158025049	10	V1	59,10
TG30K		300	140	32 x 10	4008158008929	10	V1	62,73
TG40K	400	175	32 x 10	4008158009278	5	V1	76,04	

	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
 <ul style="list-style-type: none"> <li>• Clamping force up to 7,000 N</li> <li>• Strengthened design for higher clamping force and wider opening widths</li> <li>• Tommy bar with rounded ends for simple transfer of force when clamping</li> <li>• Pressure plates can be replaced by hand – no tools required</li> <li>• Stable profiled rail with serration</li> <li>• BESSEY anti-slip system</li> </ul>	<b>Heavy duty malleable cast iron screw clamp TGK with tommy bar</b>							
	TGK50K	500	120	35 x 11	4008158011462	5	V1	77,33
	TGK100K	1000	120	35 x 11	4008158011158	5	V1	102,79
	TGK150K	1500	120	35 x 11	4008158011219	1	V1	124,74
	TGK200K	2000	120	35 x 11	4008158011271	1	V1	151,97
	TGK250K	2500	120	35 x 11	4008158011332	1	V1	183,96
	TGK300K	3000	120	35 x 11	4008158011363	1	V1	217,71
 <ul style="list-style-type: none"> <li>• Clamping force up to 5,500 N</li> <li>• High-quality 2-component plastic handle</li> <li>• With protective caps on the clamping surfaces</li> <li>• Stable profiled rail with serration</li> </ul>	<b>Malleable cast iron screw clamp TPN with 2-component plastic handle</b>							
	TPN16BE-2K	160	80	25 x 6	4008158031088	10	V1	23,02
	TPN20BE-2K	200	100	27 x 7	4008158031095	10	V1	31,54
	TPN25BE-2K	250	120	29 x 9	4008158030456	10	V1	38,19
	TPN40S12BE-2K	400	120	29 x 9	4008158031118	10	V1	44,50
	TPN50S12BE-2K	500	120	29 x 9	4008158031125	10	V1	47,77
	TPN60S12BE-2K	600	120	29 x 9	4008158031132	5	V1	50,80
	TPN80S12BE-2K	800	120	29 x 9	4008158031149	5	V1	56,78
	TP100S12BE-2K	1000	120	29 x 9	4008158031156	5	V1	63,43
	TPN30BE-2K	300	140	32 x 10	4008158030524	10	V1	47,54
	TPN40BE-2K	400	175	32 x 10	4008158030579	5	V1	57,58
 <ul style="list-style-type: none"> <li>• Clamping force up to 5,500 N</li> <li>• Ergonomically shaped wood handle</li> <li>• With protective caps on the clamping surfaces</li> <li>• Stable profiled rail with serration</li> </ul>	<b>Malleable cast iron screw clamp TPN with tried-and-true wooden handle</b>							
	TPN10BE	100	50	15 x 5	4008158015484	10	V1	13,55
	TPN15B5BE	150	50	15 x 5	4008158015545	10	V1	15,42
	TPN20B5BE	200	50	15 x 5	4008158015606	10	V1	16,00
	TPN12BE	120	60	20 x 5	4008158015521	10	V1	18,11
	TPN20B6BE	200	60	20 x 5	4008158015637	10	V1	18,80
	TPN16BE	160	80	25 x 6	4008158015576	10	V1	21,73
	TPN20B8BE	200	80	25 x 6	4008158015651	10	V1	21,95
	TPN25B8BE	250	80	25 x 6	4008158015736	10	V1	22,66
	TPN30B8BE	300	80	25 x 6	4008158015866	10	V1	23,83
	TPN20BE	200	100	27 x 7	4008158015682	10	V1	30,01
	TPN25S10BE	250	100	27 x 7	4008158015781	10	V1	33,17
	TPN30S10BE	300	100	27 x 7	4008158015910	10	V1	35,04
	TPN40S10BE	400	100	27 x 7	4008158016054	10	V1	38,31
	TPN25BE	250	120	29 x 9	4008158015767	10	V1	36,33
	TPN30S12BE	300	120	29 x 9	4008158015934	10	V1	39,37
	TPN40S12BE	400	120	29 x 9	4008158016078	10	V1	42,64
	TPN50S12BE	500	120	29 x 9	4008158016160	10	V1	45,90
	TPN60S12BE	600	120	29 x 9	4008158016252	5	V1	48,95
	TPN80S12BE	800	120	29 x 9	4008158016320	5	V1	54,90
	TP100S12BE	1000	120	29 x 9	4008158015453	5	V1	61,55
	TP125S12BE	1250	120	29 x 9	4008158018591	1	V1	68,91
	TP150S12BE	1500	120	29 x 9	4008158023199	1	V1	78,37
	TPN30BE	300	140	32 x 10	4008158015897	10	V1	45,44
	TPN40S14BE	400	140	32 x 10	4008158016108	5	V1	51,40
	TPN50S14BE	500	140	32 x 10	4008158016184	5	V1	55,84
	TPN60S14BE	600	140	32 x 10	4008158016276	5	V1	59,79
	TPN80S14BE	800	140	32 x 10	4008158016344	5	V1	68,45
	TP100S14BE	1000	140	32 x 10	4008158015460	5	V1	78,37
	TP150S14BE	1500	140	32 x 10	4008158023168	1	V1	103,95
	TP200S14BE	2000	140	32 x 10	4008158023328	1	V1	127,78
	TPN40BE	400	175	32 x 10	4008158016030	5	V1	55,48
	TPN60S17BE	600	175	32 x 10	4008158016306	1	V1	65,41
	TPN80S17BE	800	175	32 x 10	4008158016368	1	V1	73,93
	TP100S17BE	1000	175	32 x 10	4008158015477	1	V1	82,69

	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
 <ul style="list-style-type: none"> <li>• Clamping force up to 6,500 N</li> <li>• Strengthened design for higher clamping force and wider opening widths</li> <li>• Ergonomically shaped wood handle</li> <li>• Stable profiled rail with serration</li> </ul>	<b>Heavy duty malleable cast iron screw clamp TKPN with tried-and-true wooden handle</b>							
	TKPN50BE	500	120	35 x 11	4008158015361	5	V1	56,42
	TKPN60BE	600	120	35 x 11	4008158015378	5	V1	59,46
	TKPN80BE	800	120	35 x 11	4008158015385	5	V1	67,51
	TKPN100BE	1000	120	35 x 11	4008158015262	5	V1	75,57
	TKPN125BE	1250	120	35 x 11	4008158015279	1	V1	82,34
	TKPN150BE	1500	120	35 x 11	4008158015286	1	V1	92,04
	TKPN200BE	2000	120	35 x 11	4008158015309	1	V1	112,37
	TKPN250BE	2500	120	35 x 11	4008158015323	1	V1	136,43
	TKPN300BE	3000	120	35 x 11	4008158015330	1	V1	161,78
 <ul style="list-style-type: none"> <li>• Clamping force up to 5,500 N</li> <li>• Ergonomically shaped wood handle</li> <li>• With protective caps on the clamping surfaces</li> <li>• Stable solid flat rail with serration</li> </ul>	<b>Malleable cast iron screw clamp TGRC with tried-and-true wooden handle</b>							
	TGRC10	100	50	15 x 5	4008158012902	10	V1	13,40
	TGRC15B5	150	50	15 x 5	4008158013046	10	V1	15,20
	TGRC20B5	200	50	15 x 5	4008158013176	10	V1	15,68
	TGRC12	120	60	20 x 5	4008158012995	10	V1	17,83
	TGRC20B6	200	60	20 x 5	4008158013206	10	V1	18,43
	TGRC30B6	300	60	20 x 5	4008158013541	10	V1	21,65
	TGRC16	160	80	25 x 6	4008158013084	10	V1	21,42
	TGRC20B8	200	80	25 x 6	4008158013244	10	V1	21,65
	TGRC25B8	250	80	25 x 6	4008158013398	10	V1	22,26
	TGRC30B8	300	80	25 x 6	4008158013572	10	V1	23,44
	TGRC20	200	100	27 x 7	4008158013152	10	V1	29,54
	TGRC25S10	250	100	27 x 7	4008158013442	10	V1	32,54
	TGRC30S10	300	100	27 x 7	4008158013626	10	V1	34,46
	TGRC40S10	400	100	27 x 7	4008158013848	10	V1	37,70
	TGRC25	250	120	29 x 9	4008158013350	10	V1	35,78
	TGRC30S12	300	120	29 x 9	4008158013657	10	V1	38,65
	TGRC40S12	400	120	29 x 9	4008158013886	10	V1	41,99
	TGRC50S12	500	120	29 x 9	4008158014050	10	V1	45,12
	TGRC60S12	600	120	29 x 9	4008158014197	5	V1	48,09
	TGRC80S12	800	120	29 x 9	4008158014333	5	V1	53,96
	TGRC100S12	1000	120	29 x 9	4008158012926	5	V1	60,54
	TGRC30	300	140	32 x 10	4008158013497	10	V1	44,76
	TGRC40S14	400	140	32 x 10	4008158013916	5	V1	50,62
	TGRC50S14	500	140	32 x 10	4008158014098	5	V1	54,93
	TGRC60S14	600	140	32 x 10	4008158014234	5	V1	58,88
	TGRC80S14	800	140	32 x 10	4008158014371	5	V1	67,25
	TGRC100S14	1000	140	32 x 10	4008158012933	5	V1	77,05
	TGRC150S14	1500	140	32 x 10	4008158025131	1	V1	101,82
	TGRC40	400	175	32 x 10	4008158013763	5	V1	54,57
TGRC50S17	500	175	32 x 10	4008158014128	1	V1	60,54	
TGRC60S17	600	175	32 x 10	4008158014265	1	V1	64,37	
TGRC80S17	800	175	32 x 10	4008158014401	1	V1	72,74	
TGRC100S17	1000	175	32 x 10	4008158012940	1	V1	81,38	
 <ul style="list-style-type: none"> <li>• Clamping force up to 6,500 N</li> <li>• Strengthened design for higher clamping force and wider opening widths</li> <li>• Ergonomically shaped wood handle</li> <li>• Stable solid flat rail with serration</li> </ul>	<b>Heavy duty malleable cast iron screw clamp TGKR with tried-and-true wooden handle</b>							
	TGKR50	500	120	35 x 11	4008158011752	5	V1	55,52
	TGKR60	600	120	35 x 11	4008158011790	5	V1	58,52
	TGKR80	800	120	35 x 11	4008158011820	5	V1	66,29
	TGKR100	1000	120	35 x 11	4008158011530	5	V1	74,30
	TGKR125	1250	120	35 x 11	4008158011578	1	V1	81,01
	TGKR150	1500	120	35 x 11	4008158011608	1	V1	90,46
	TGKR200	2000	120	35 x 11	4008158011660	1	V1	110,56

	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
	<b>Deep throat clamp TGNT with tried-and-true wooden handle</b>							
	<ul style="list-style-type: none"> <li>• Clamping force up to 7,000 N</li> <li>• Heavy-duty design</li> <li>• Ergonomically shaped wood handle</li> <li>• Large, stable solid flat rail with serration</li> <li>• Rail dimensions great than and equal to 40 x 11 are ungalvanized</li> </ul>							
	TGN30T20	300	200	35 x 11	4008158012322	1	V1	83,74
	TGN40T20	400	200	35 x 11	4008158012391	1	V1	89,94
	TGN60T20	600	200	35 x 11	4008158012636	1	V1	102,09
	TGN80T20	800	200	35 x 11	4008158012766	1	V1	114,00
	TGN100T20	1000	200	35 x 11	4008158012216	1	V1	126,26
	TGN40T25	400	250	40 x 11	4008158012421	1	V1	114,47
	TGN60T25	600	250	40 x 11	4008158012667	1	V1	128,36
	TGN80T25	800	250	40 x 11	4008158012797	1	V1	141,44
	TGN100T25	1000	250	40 x 11	4008158012247	1	V1	155,22
	TGN40T30	400	300	45 x 12	4008158012469	1	V1	133,96
	TGN60T30	600	300	45 x 12	4008158012698	1	V1	150,32
	TGN80T30	800	300	45 x 12	4008158012827	1	V1	162,35
	TGN100T30	1000	300	45 x 12	4008158012278	1	V1	178,82
	TGN150T30	1500	300	45 x 12	4008158028781	1	V1	222,50
	TGN200T30	2000	300	45 x 12	4008158028798	1	V1	262,69
	TGN250T30	2500	300	45 x 12	4008158028804	1	V1	303,21
	TGN40T40	400	400	45 x 12	4008158012490	1	V1	197,51
	TGN60T40	600	400	45 x 12	4008158012728	1	V1	214,22
TGN80T40	800	400	45 x 12	4008158012858	1	V1	230,68	
TGN100T40	1000	400	45 x 12	4008158012308	1	V1	247,26	
TGN30T50	300	500	45 x 12	4008158012377	1	V1	222,75	
TGN60T50	600	500	45 x 12	4008158012742	1	V1	247,26	
TGN80T50	800	500	45 x 12	4008158012872	1	V1	264,09	
	<b>Deep throat screw clamp TGNT with tommy bar</b>							
	<ul style="list-style-type: none"> <li>• Clamping force up to 7,000 N</li> <li>• Heavy-duty design</li> <li>• Tommy bar with rounded ends for simple transfer of force when clamping</li> <li>• Large, stable solid plain rail with fluting</li> <li>• Rail dimensions great than and equal to 40 x 11 are ungalvanized</li> </ul>							
	TGN30T20K	300	200	35 x 11	4008158012346	1	V1	85,85
	TGN40T20K	400	200	35 x 11	4008158012414	1	V1	92,04
	TGN40T25K	400	250	40 x 11	4008158012445	1	V1	116,57
	TGN60T25K	600	250	40 x 11	4008158012681	1	V1	130,46
	TGN80T25K	800	250	40 x 11	4008158012810	1	V1	143,54
	TGN40T30K	400	300	45 x 12	4008158012483	1	V1	136,08
	TGN60T30K	600	300	45 x 12	4008158012711	1	V1	152,43
	TGN80T30K	800	300	45 x 12	4008158012841	1	V1	164,45
	TGN40T40K	400	400	45 x 12	4008158012506	1	V1	199,62
	TGN60T40K	600	400	45 x 12	4008158012735	1	V1	216,31
	TGN80T40K	800	400	45 x 12	4008158012865	1	V1	232,78
	TGN30T50K	300	500	45 x 12	4008158012384	1	V1	224,85
	TGN60T50K	600	500	45 x 12	4008158012759	1	V1	249,37
TGN80T50K	800	500	45 x 12	4008158012889	1	V1	266,19	
	<b>Original BESSEY all-steel screw clamp GZ with 2-component plastic handle</b>							
	<ul style="list-style-type: none"> <li>• 20 % more clamping force per spindle rotation with optimised rail profile</li> <li>• Maximum security with linear transfer of force at the sliding arm</li> <li>• Clamping force up to 6,000 N</li> <li>• Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping</li> <li>• High-quality 2-component plastic handle</li> <li>• Pressure plates can be replaced by hand – no need for tools (from 80 mm width)</li> </ul>							
	GZ10-2K	100	60	15 x 6	4008158033785	10	V2	20,55
	GZ12-2K	120	60	15 x 6	4008158033808	10	V2	25,59
	GZ16-2K	160	80	17,5 x 6,8	4008158033860	10	V2	30,84
	GZ40-8-2K	400	80	17,5 x 6,8	4008158033907	10	V2	38,19
	GZ20-2K	200	100	22 x 8,5	4008158033921	10	V2	41,58
	GZ25-2K	250	120	24,5 x 9,5	4008158034003	10	V2	50,11
	GZ30-12-2K	300	120	24,5 x 9,5	4008158034034	10	V2	54,31
	GZ40-12-2K	400	120	24,5 x 9,5	4008158034065	10	V2	58,75
	GZ50-12-2K	500	120	24,5 x 9,5	4008158034072	10	V2	63,43
	GZ60-12-2K	600	120	24,5 x 9,5	4008158034089	5	V2	67,63
	GZ80-12-2K	800	120	24,5 x 9,5	4008158034096	5	V2	75,81
	GZ100-12-2K	1000	120	24,5 x 9,5	4008158034102	5	V2	84,21
	GZ30-2K	300	140	28 x 11	4008158034126	10	V2	62,48
	GZ40-2K	400	120	28 x 11	4008158034157	10	V2	71,95
	GZ50-2K	500	120	28 x 11	4008158034188	5	V2	77,08
	GZ60-2K	600	120	28 x 11	4008158034218	5	V2	81,18
	GZ80-2K	800	120	28 x 11	4008158034249	5	V2	97,77
	GZ100-2K	1000	120	28 x 11	4008158034270	5	V2	109,55
GZ125-2K	1250	120	28 x 11	4008158034300	1	V2	147,63	

	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
	<b>Original BESSEY all-steel screw clamp GZ with tried-and-tested wooden handle</b>							
	<ul style="list-style-type: none"> <li>• 20 % more clamping force per spindle rotation with optimised rail profile</li> <li>• Maximum security with linear transfer of force at the sliding arm</li> <li>• Clamping force up to 6,000 N</li> <li>• Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping</li> <li>• Ergonomically shaped wood handle</li> <li>• Pressure plates can be replaced by hand – no need for tools (from 80 mm width)</li> </ul>							
	GZ10	100	60	15 x 6	4008158033778	10	V2	19,73
	GZ12	120	60	15 x 6	4008158033792	10	V2	24,53
	GZ30-6	300	60	15 x 6	4008158033839	10	V2	30,61
	GZ16	160	80	17,5 x 6,8	4008158033853	10	V2	29,55
	GZ20	200	100	22 x 8,5	4008158033914	10	V2	40,06
	GZ30-10	300	100	22 x 8,5	4008158033952	10	V2	46,72
	GZ25	250	120	24,5 x 9,5	4008158033990	10	V2	48,24
	GZ30-12	300	120	24,5 x 9,5	4008158034027	10	V2	52,44
	GZ40-12	400	120	24,5 x 9,5	4008158034058	10	V2	56,88
	GZ30	300	140	28 x 11	4008158034119	10	V2	60,62
	GZ40	400	120	28 x 11	4008158034140	10	V2	70,08
	GZ50	500	120	28 x 11	4008158034171	5	V2	75,21
	GZ60	600	120	28 x 11	4008158034201	5	V2	79,30
GZ80	800	120	28 x 11	4008158034232	5	V2	95,90	
GZ100	1000	120	28 x 11	4008158034263	5	V2	107,70	
GZ125	1250	120	28 x 11	4008158034294	1	V2	145,77	
	<b>Original BESSEY all-steel screw clamp GZ with tommy bar</b>							
	<ul style="list-style-type: none"> <li>• 20 % more clamping force per spindle rotation with optimised rail profile</li> <li>• Maximum security with linear transfer of force at the sliding arm</li> <li>• Clamping force up to 6,000 N</li> <li>• Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping</li> <li>• Tommy bar with rounded ends for simple transfer of force when clamping</li> <li>• Pressure plates can be replaced by hand – no need for tools</li> </ul>							
	GZ16K	160	80	17,5 x 6,8	4008158033877	10	V2	30,84
	GZ20K	200	100	22 x 8,5	4008158033938	10	V2	41,58
	GZ25K	250	120	24,5 x 9,5	4008158034010	10	V2	50,11
	GZ30K	300	140	28 x 11	4008158034133	10	V2	62,48
	GZ40K	400	120	28 x 11	4008158034164	10	V2	71,95
	GZ50K	500	120	28 x 11	4008158034195	5	V2	77,08
	GZ60K	600	120	28 x 11	4008158034225	5	V2	81,18
	GZ80K	800	120	28 x 11	4008158034256	5	V2	97,77
GZ100K	1000	120	28 x 11	4008158034287	5	V2	109,55	
GZ125K	1250	120	28 x 11	4008158034317	1	V2	147,63	
	<b>Original BESSEY all-steel screw clamp GZ with swivel handle</b>							
	<ul style="list-style-type: none"> <li>• Clamping force up to 5,000 N</li> <li>• Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping</li> <li>• High-quality 2-component plastic handle</li> <li>• Swivel handle can be folded 90° and rotated 360° without obstruction – even in areas that are difficult to reach</li> <li>• Pressure plates can be replaced by hand – no need for tools</li> </ul>							
	GZ25KG	250	120	24,5 x 9,5	4008158041384	10	V2	54,31
	GZ30-12KG	300	120	24,5 x 9,5	4008158041391	10	V2	58,53
	GZ40-12KG	400	120	24,5 x 9,5	4008158041407	10	V2	62,73
	GZ50-12KG	500	120	24,5 x 9,5	4008158041414	10	V2	67,16
GZ60-12KG	600	120	24,5 x 9,5	4008158041421	5	V2	71,36	
	<b>Pressure cap strips SKS (2 pcs./bag)</b>							
	<ul style="list-style-type: none"> <li>• For screw clamps</li> <li>• For gentle clamping</li> <li>• May be applied on both sides</li> <li>• Cut them to size</li> </ul>							
SKS10/20					4008158025582	1	V3	9,23
SKS20/40					4008158025599	1	V3	9,46
	<b>All-steel screw clamp classiX GS with tried-and-tested wooden handle</b>							
	<ul style="list-style-type: none"> <li>• Clamping force up to 5,000 N</li> <li>• Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping</li> <li>• Ergonomically shaped wood handle</li> </ul>							
	GS10	100	50	11,5 x 5,6	4008158024585	10	V2	16,24
	GS12	120	60	13,5 x 6,5	4008158024592	10	V2	20,08
	GS16	160	80	16 x 7,5	4008158024608	10	V2	24,18
	GS20	200	100	19,5 x 9,5	4008158024615	10	V2	32,82
	GS25	250	120	22 x 10,5	4008158024622	10	V2	39,59
	GS30	300	140	25 x 12	4008158024639	10	V2	49,75
	GS40	400	120	25 x 12	4008158024646	10	V2	57,47
	GS50	500	120	25 x 12	4008158024653	5	V2	61,68
	GS60	600	120	25 x 12	4008158024660	5	V2	65,05
	GS80	800	120	27 x 13	4008158024677	5	V2	78,61
	GS100	1000	120	27 x 13	4008158024684	5	V2	88,31

	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
<b>All-steel screw clamp classiX GS with tommy bar</b>								
	• Clamping force up to 5,000 N	GS16K	160	80	16 x 7,5	4008158035284	10 V2	25,46
	• Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping	GS20K	200	100	19,5 x 9,5	4008158035291	10 V2	34,33
	• Tommy bar with rounded ends for simple transfer of force when clamping	GS25K	250	120	22 x 10,5	4008158035307	10 V2	41,46
		GS30K	300	140	25 x 12	4008158035314	10 V2	51,86
		GS40K	400	120	25 x 12	4008158035321	10 V2	59,57
		GS50K	500	120	25 x 12	4008158035468	5 V2	63,77
		GS60K	600	120	25 x 12	4008158035338	5 V2	67,16
		GS80K	800	120	27 x 13	4008158035345	5 V2	80,70
		GS100K	1000	120	27 x 13	4008158035352	5 V2	90,41
<b>OMEGA screw clamp GMZ with 2-component plastic handle</b>								
	• Clamping force up to 5,000 N	GM16Z-2K	160	80	16 x 7,5	4008158030838	10 V2	32,36
	• Fixed jaw with patented OMEGA bow for less clamping force loss	GM20Z-2K	200	100	19,5 x 9,5	4008158030852	10 V2	44,04
	• Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping	GM25Z-2K	250	120	22 x 10,5	4008158030876	10 V2	53,14
	• High-quality 2-component plastic handle	GM30Z-2K	300	140	25 x 12	4008158030890	10 V2	66,58
	• Pressure plates can be replaced with no need for tools	GM40Z-2K	400	120	25 x 12	4008158030906	10 V2	76,62
		GM50Z-2K	500	120	25 x 12	4008158030913	5 V2	82,11
		GM60Z-2K	600	120	25 x 12	4008158030920	5 V2	86,66
<b>OMEGA-screw clamp GMZ with tommy bar</b>								
	• Clamping force up to 5,000 N	GM20ZK	200	100	19,5 x 9,5	4008158029443	10 V2	44,04
	• Fixed jaw with patented OMEGA bow for less clamping force loss	GM25ZK	250	120	22 x 10,5	4008158029467	10 V2	53,14
	• Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping	GM30ZK	300	140	25 x 12	4008158029481	10 V2	66,58
	• Tommy bar with rounded ends for simple transfer of force when clamping	GM50ZK	500	120	25 x 12	4008158029504	5 V2	82,11
	• Pressure plates can be replaced with no need for tools	GM60ZK	600	120	25 x 12	4008158029511	5 V2	86,66
<b>Pressure cap strips SKS (2 pcs./bag)</b>								
	• For screw clamps	SKS10/20				4008158025582	1 V3	9,23
	• For gentle clamping	SKS20/40				4008158025599	1 V3	9,46
	• May be applied on both sides							
	• Cut them to size							
<b>Lever clamp GH</b>								
	• Greater reserves of power, thanks to optimised rail profile, for even clamping force build-up, especially under maximum utilisation of the clamping range	GH12	120	60	15 x 6	4008158034324	10 V2	63,08
	• Non-slip trigger release	GH16	160	80	17,5 x 6,8	4008158034331	10 V2	69,03
	• Sintered steel cams – particularly hard-wearing, low friction due to higher surface hardness	GH20-8	200	80	17,5 x 6,8	4008158034348	10 V2	71,71
	• Quick – up to 5 x faster than regular clamps	GH20	200	100	22 x 8,5	4008158034355	10 V2	79,30
	• Secure – vibration resistant	GH25	250	120	24,5 x 9,5	4008158034409	10 V2	91,34
	• Strong – clamping force up to 8,500 N	GH30-12	300	120	24,5 x 9,5	4008158034416	10 V2	95,43
		GH40-12	400	120	24,5 x 9,5	4008158034423	10 V2	100,21
		GH30	300	140	28 x 11	4008158034430	10 V2	108,50
		GH40	400	120	28 x 11	4008158034447	10 V2	114,00
		GH50	500	120	28 x 11	4008158034454	5 V2	122,29
		GH60	600	120	28 x 11	4008158034461	5 V2	126,96
	GH80	800	120	28 x 11	4008158034478	5 V2	141,44	
	GH100	1000	120	28 x 11	4008158034485	5 V2	150,32	
<b>Lever clamp SGHS, heavy duty</b>								
	• Heavy design	SG-25HS	300	140	30 x 15	4008158007106	5 V2	150,32
	• Rapid – up to 5 x faster than conventional clamps	SG-50HS	500	140	30 x 15	4008158007120	5 V2	200,66
	• Secure – vibration resistant							
	• Strong – clamping force up to 9,500 N							

	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
<b>Lever clamp classiX GSH</b>								
	• Non-slip trigger release	GSH12	120	60	13,5 x 6,5	4008158036595	10 V2	51,74
	• Quick – up to 5 times faster than regular clamps	GSH16	160	80	16 x 7,5	4008158036601	10 V2	56,64
	• Secure – unaffected by vibrations	GSH20	200	100	19,5 x 9,5	4008158036618	10 V2	65,05
	• Strong – clamping force up to 7,500 N	GSH25	250	120	22 x 10,5	4008158036625	10 V2	74,87
		GSH30	300	140	25 x 12	4008158036632	10 V2	89,01
		GSH40	400	120	25 x 12	4008158036649	10 V2	93,44
		GSH50	500	120	25 x 12	4008158036656	5 V2	100,35
		GSH60	600	120	25 x 12	4008158036663	5 V2	104,07
<b>Fitters' clamp SLM</b>								
	• Clamping force up to 8,500 N at tightening torque of 25 Nm	SL20M	200	120	28 x 11	4008158034508	5 V2	94,97
	• 20 % more clamping force per spindle rotation with optimised rail profile	SL25M	250	120	28 x 11	4008158034515	5 V2	97,99
	• Maximum safety due to the better linear transfer of force of the sliding arm	SL30M	300	120	28 x 11	4008158034522	5 V2	101,50
	• Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°	SL40M	400	120	28 x 11	4008158034539	5 V2	107,34
		SL50M	500	120	28 x 11	4008158034546	5 V2	113,53
		SL60M	600	120	28 x 11	4008158034553	5 V2	119,49
<b>High-performance clamp SGM</b>								
	• Clamping force up to 12,000 N at tightening torque of 40 Nm	SG25M	250	140	34 x 13	4008158007229	5 V2	112,37
	• 20 % more clamping force per spindle rotation with optimised rail profile	SG30M	300	140	34 x 13	4008158007281	5 V2	115,05
	• Maximum safety due to the better linear transfer of force of the sliding arm	SG40M	400	140	34 x 13	4008158027067	5 V2	129,66
	• Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°	SG50M	500	140	34 x 13	4008158007328	5 V2	144,24
		SG60M	600	140	34 x 13	4008158007342	5 V2	151,84
		SG80M	800	140	34 x 13	4008158007366	5 V2	166,33
		SG100M	1000	140	34 x 13	4008158007151	5 V2	187,23
		SG125M	1250	140	34 x 13	4008158007182	1 V2	216,90
		SG150M	1500	140	34 x 13	4008158007205	1 V2	245,52
<b>High-performance clamp SGTm, large throat depth</b>								
	• Clamping force up to 8,500 N at tightening torque of 40 Nm	SG30T20M	300	200	30 x 15	4008158031316	1 V2	132,10
	• Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°	SG60T20M	600	200	30 x 15	4008158031323	1 V2	173,22
	• Opening 200 mm							
<b>High-performance clamp STBM</b>								
	• Clamping force up to 22,000 N at tightening torque of 70 Nm	STB30M	300	175	40 x 20	4008158007588	1 V2	215,62
	• Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°	STB40M	400	175	40 x 20	4008158007601	1 V2	227,05
	• With 19 mm hexagonal bolt on the end of the spindle	STB50M	500	175	40 x 20	4008158007625	1 V2	236,75
		STB60M	600	175	40 x 20	4008158007649	1 V2	245,06
		STB80M	800	175	40 x 20	4008158007663	1 V2	261,16
		STB100M	1000	175	40 x 20	4008158007540	1 V2	282,43
		STB125M	1250	175	40 x 20	4008158007557	1 V2	345,38
		STB150M	1500	175	40 x 20	4008158007564	1 V2	388,47
<b>High-performance clamp STBS</b>								
	• Clamping force up to 35,000 N at tightening torque of 100 Nm	STBS30	300	200	50 x 25	4008158007700	1 V2	458,80
	• Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°	STBS50	500	200	50 x 25	4008158007717	1 V2	498,27
	• With 36 mm hexagonal bolt on the end of the spindle	STBS100	1000	200	50 x 25	4008158007670	1 V2	587,74
	• With wedge for fixing the sliding arm							
<b>High-performance clamp STBVC</b>								
	• Clamping force up to 35,000 N at tightening torque of 105 Nm	STBVC15	150	100	40 x 20	4008158021355	1 V2	189,11
	• Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°	STBVC25	250	100	40 x 20	4008158021362	1 V2	207,09
	• With 19 mm hexagonal bolt on the end of the spindle	STBVC35	350	100	40 x 20	4008158021379	1 V2	231,27
	• With wedge for fixing the sliding arm							

	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
<b>Fitters' clamp classiX GSL</b>								
	GSL30	300	120	27 x 13	4008158035369	5	V2	83,28
	GSL60	600	120	27 x 13	4008158035376	5	V2	97,99
<b>High-performance clamp classiX GSM</b>								
	GSM25	250	140	30 x 15	4008158035383	5	V2	92,16
	GSM30	300	140	30 x 15	4008158035390	5	V2	94,37
	GSM40	400	140	30 x 15	4008158035406	5	V2	106,30
	GSM50	500	140	30 x 15	4008158035413	5	V2	118,32
GSM60	600	140	30 x 15	4008158035420	5	V2	124,51	
<b>KombiKlamp SG-VAD</b>								
	SG30VAD	300	120	30 x 15	4008158032368	6	V2	119,37
<b>U-shaped all-steel screw clamp GUZ</b>								
	GU25-12-6ZK	250	120	22 x 10,5	4008158027104	10	V2	73,81
<b>U-shaped high-performance clamp SGU</b>								
	SGU30-14-10	300	140	30 x 15	4008158027043	5	V2	154,65
<b>U-shaped high-performance clamp STBU</b>								
	STBU40-17-15	500	175	40 x 20	4008158027098	1	V2	317,23
<b>U-shaped lever clamp GUH</b>								
	GU25-12-6H	250	120	22 x 10,5	4008158027128	5	V2	98,92
<b>Claw clamp GRA</b>								
	GRA30-12	300	120	28 x 11	4008158035819	5	V2	139,69
	GRA60-12	600	120	28 x 11	4008158035826	5	V2	158,85
	GRA100-12	1000	120	28 x 11	4008158035833	5	V2	188,87
<b>Pressure piece GRD (2 pcs./bag)</b>								
	GRD				4008158004396	10	V2	23,95









	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
<b>Variable high-performance clamps – Complete set SLV</b>								
	SLV100M	1000	120	27 x 13	4008158036366	1	V2	143,67
	SLV150M	1500	120	27 x 13	4008158036373	1	V2	176,84
	SLV200M	2000	120	27 x 13	4008158036380	1	V2	207,79
<b>Variable high performance clamps – Complete set GSV</b>								
	GSV300M	3000	140	30 x 15	4008158036397	1	V2	384,75
<b>SLV size rails</b>								
	3101731	1000		27 x 13	4008158038650	1	V2	60,39
	3101732	1500		27 x 13	4008158038667	1	V2	123,11
	3101733	2000		27 x 13	4008158038674	1	V2	184,66
<b>GSV size rails</b>								
	3101612	3000		30 x 15	4008158036359	1	V2	294,51
<b>Complete sliding arm for SLV sizes</b>								
	3101426		120	27 x 13	4008158033228	1	V3	38,77
	3101337		120	27 x 13	4008158033556	1	V3	103,02
	3101338		120	27 x 13	4008158033563	1	V3	65,05
<b>Complete sliding arm for GSV sizes</b>								
	3101329		120	30 x 15	4008158033471	1	V3	76,15
	3101330		140	30 x 15	4008158033488	1	V3	82,46
	3101331		200	30 x 15	4008158033495	1	V3	105,24
<b>Special pressure plate</b>								
	3100737	suitable for STBS, STBU			4008158031634	1	V3	39,02
	3100736	suitable for SLM, SGM, SGTM, STBM, STBVC, SGU, SLV, GSV, SPZ80K			4008158031668	1	V3	25,93
	3102127	suitable for SLM, SGM, SGTM, STBM, STBVC, SGU, SLV, GSV, SPZ80K			4008158051598	1	V3	25,93
	3101192	suitable for SLM, SGM, SGTM, STBM, STBVC, SGU, SLV, GSV, SPZ80K			4008158030968	1	V3	29,08
	3101193	suitable for SLM, SGM, SGTM, STBM, STBVC, SGU, SLV, GSV, SPZ80K			4008158030975	1	V3	29,08
<b>C-clamp VC</b>								
	VC2	50	50	19,5 x 9,5	4008158019291	10	V2	46,49
	VC3	75	50	22 x 10,5	4008158019307	10	V2	53,14
	VC4	100	60	25 x 12	4008158019314	10	V2	68,68
	VC6	150	75	27 x 13	4008158019321	10	V2	90,41
	VC8	200	90	30 x 15	4008158019338	5	V2	113,88
	VC10	250	100	40 x 20	4008158019345	5	V2	144,95
<b>C-clamp SC</b>								
	SC40	40	40		4008158019178	20	V2	38,19
	SC60	60	55		4008158019185	20	V2	43,79
	SC80	80	65		4008158019192	10	V2	50,58
	SC100	100	75		4008158019208	10	V2	60,97
	SC120	120	85		4008158019215	10	V2	72,88
	SC150	150	95		4008158019222	10	V2	82,11
	SC200	200	105		4008158019239	5	V2	103,95








	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR	
<b>C-clamp CDF-C</b>									
	• Clamping force up to 18,000 N • Drop forged • The copper-plated spindle prevents welding splatter from sticking	CDF403C	75	60	4008158028958	6	V2	44,15	
		CDF404C	105	85	4008158028965	6	V2	53,14	
		CDF406C	150	100	4008158028972	6	V2	71,01	
		CDF408C	205	125	4008158028989	6	V2	89,81	
		CDF410C	50-245	150	4008158028996	4	V2	110,38	
<b>Parallel grip GRZ</b>									
	• Parallel jaw faces • Prism recess for small round parts • Includes pressure caps for gentle clamping of sensitive surfaces	GRZ10	100	65	4008158009711	10	V3	88,77	
		GRZ20	200	65	4008158009728	10	V3	97,41	
<b>C-grip GRZC</b>									
	• For step-over clamping from both sides	GRZC	110	80	4008158009636	10	V3	103,49	
<b>Pipe grip GRZRO</b>									
	• Ideal for holding round objects of constant diameter • Includes pressure caps • Gentle clamping of sensitive surfaces • Suitable for tack welding, heat-resistant up to 200° C	GRZRO		65	4008158009667	10	V3	126,03	
<b>Earth (ground) clamp LP / TP with tried-and true wooden handle</b>									
	• With malleable cast iron arms • Ergonomically shaped wood handle • Grounding connection hole in the upper part	LP-1	150	60	20 x 5	4008158004907	10	V1	24,06
		TP-1	150	80	25 x 6	4008158015422	10	V1	29,91
<b>Earth (ground) clamp LP / TP with thumb screw</b>									
	• With malleable cast iron arms • Practical thumb screw • Grounding connection hole in the upper part • TP...F-RK: Cable strain relief at rail end / ring internal diameter 30 mm	LP-1F	150	60	20 x 5	4008158004914	10	V1	24,29
		TP-1F	150	80	25 x 6	4008158015439	10	V1	31,89
		TP-2F	150	60	30 x 8	4008158031743	20	V1	40,06
		TP-1F-RK	150	80	25 x 6	4008158032252	10	V1	34,80
		TP-2F-RK	150	60	30 x 8	4008158032269	20	V1	42,75
<b>Earth (ground) clamp TP with tommy bar</b>									
	• With malleable cast iron arms • Tommy bar with rounded ends for simple transfer of force when clamping • Grounding connection hole in the upper part	TP-1K	150	80	25 x 6	4008158015446	10	V1	31,89
<b>Earth (ground) clamp CP</b>									
	• With C-shaped malleable cast iron arms	CP-F	50	30		4008158010236	40	V1	13,43
<b>Multi angle pad VAD (2 pcs./bag)</b>									
	• For adaptation to round, oval and angular workpieces in particular • Infinite angle adjustment from 60° inner to 60° outer • Suitable for original BESSEY malleable cast iron screw clamps TG as well as GZ and GMZ from 100 mm throat depth and clamping elements for welding tables TWV and TW	VAD				4008158004945	42	V3	71,71

	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR	
<b>Edge clamp KT</b>									
	• Practical accessory for clamping edges and difficult to reach areas • Suitable for conventional screw clamps with a max. rail thickness of 13 mm	KT5-1CP			4008158026176	40	V1	18,69	
		KT5-2			4008158004587	20	V1	29,91	
<b>Welders' angle clamps WSM</b>									
	• Automatic adjustment to workpieces of various thicknesses • Sturdy jaws and base plate made from high-quality cast iron • The copper-plated spindle prevents welding splatter from sticking • Precise 90°-angles	WSM9	2 x 90		4008158016832	1	V3	243,05	
		WSM12	2 x 120		4008158016825	1	V3	275,30	
<b>Welding clamp set SM 10</b>									
	• Clamping aid for clamping components of different thicknesses at any chosen angle • Sturdy body and base plate made from high-quality cast iron • The copper-plated spindle prevents welding splatter from sticking • Angle range: 5°-180°	SM10-SET	100		4008158007502	1	V3	418,38	
<b>Clamping element with variable throat depth TWV</b>									
	• TWV16: Clamping force up to 2,500 N, TWV28: Clamping force up to 5,500 N • Precise, individual clamping • Tempered profile and sliding arm for sprung and elastic clamping • Infinitely adjustable throat depth • Various design versions: • High quality 2-component plastic handle and tommy bar with rounded ends – each with smooth-running trapezoidal threaded spindle and tool-free pressure plate replacement • Lever handle with an indexing mechanism for controlled, fast and vibration-proof clamping	TWV16-20-15-2K	200	30-150	22 x 8,5	4008158038759	5	V3	77,68
		TWV16-20-15K	200	30-150	22 x 8,5	4008158038773	5	V3	77,68
		TWV16-20-15H	200	60-150	22 x 8,5	4008158038766	5	V3	107,10
		TWV28-30-17-2K	300	40-175	28 x 11	4008158036823	5	V3	90,99
		TWV28-30-17K	300	40-175	28 x 11	4008158036847	5	V3	90,99
		TWV28-30-17H	300	110-175	28 x 11	4008158036854	5	V3	124,98
<b>Clamping element with fixed throat depth TW</b>									
	• TW16: Clamping force up to 3,000 N, TW28: Clamping force up to 5,000 N • Precise, individual clamping • Tempered profile and sliding arm for sprung and elastic clamping • Various design versions: • High quality 2-component plastic handle and tommy bar with rounded ends – each with smooth-running trapezoidal threaded spindle and tool-free pressure plate replacement • Lever handle with an indexing mechanism for controlled, fast and vibration-proof clamping	TW16-20-10-2K	200	100	22 x 8,5	4008158038681	5	V3	47,54
		TW16-20-10K	200	100	22 x 8,5	4008158038704	5	V3	47,54
		TW16-20-10H	200	100	22 x 8,5	4008158038698	5	V3	84,56
		TW22-20-10-2K	200	100	22 x 8,5	4008158041629	5	V3	47,54
		TW28-30-12-2K	300	120	28 x 11	4008158036816	5	V3	55,60
		TW28-30-14-2K	300	140	28 x 11	4008158036861	5	V3	61,55
		TW28-30-12K	300	120	28 x 11	4008158036878	5	V3	55,60
		TW28-30-14K	300	140	28 x 11	4008158036885	5	V3	61,55
		TW28-30-12H	300	120	28 x 11	4008158036892	5	V3	99,74
		TW28-30-14H	300	140	28 x 11	4008158036953	5	V3	105,70
<b>Clamping element with special pressure plate TWM28</b>									
	• Clamping force up to 6,500 N • Precise, individual clamping • Tempered profile and sliding arm for sprung and elastic clamping • Tempered spindle – particularly sturdy and wear-resistant – for noticeably improved service life • Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°	TWM28-30-12	300	120	28 x 11	4008158036809	5	V3	98,58
<b>Special pressure plate for TWM28</b>									
	• Smooth faced (standard version)	3100736			4008158031668	1	V3	25,93	
	• Rigid design with smooth surface	3102127			4008158051598	1	V3	25,93	
	• Rough faced for secure clamping on dirty surfaces	3101192			4008158030968	1	V3	29,08	
	• V-groove face for round, oval and edged workpieces	3101193			4008158030975	1	V3	29,08	

NEW

NEW

	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
<b>Clamping element with gripping arm TW28GRS</b>								
	• Clamping force up to 5,000 N • The spindle is located on the outside for free access to the work area and to protect against welding spatter • Special, sturdy V-grooved pressure plate, ideal even for clamping round or square workpieces • Pivotal and infinitely adjustable in terms of height • Particularly suited to clamping with the tightest of space constraints, in narrow openings as well as for short projections	TW28GRS30-12	300	120	28 x 11	4008158036830	5 V3	135,72
<b>Vario table clamping attachment TWVAD (2 pcs./bag)</b>								
	• Specifically adapted to round, oval and square workpieces • Angle infinitely adjustable from 60° internal to 60° external	TW16VAD				4008158038728	1 V3	45,08
	• Various design versions: • TW16VAD/TW28VAD – version with bolt – for rapidly aligning and fixing the workpiece to the welding table	TW28VAD				4008158036908	1 V3	46,60
	• TWVAD – version without bolt – for variable movement on the welding table	TWVAD				4008158036915	50 V3	34,93
<b>Toggle clamp adapter TWA-STC</b>								
	• Accessory for BESSEY STC toggle clamp with horizontal base plate • With bolt – for use directly on the welding table • Without bolt – for screwing to the extension TWX	TW16A-STC				4008158038711	1 V3	28,14
		TW28A-STC				4008158036922	1 V3	29,44
<b>Extension TWX</b>								
	• Accessory for BESSEY toggle clamp adapter TWA-STC, TWVAD and TW28AV • Lowering of round workpieces is infinitely adjustable using the adjusting ring in the table	TW16X	300			4008158038735	1 V3	23,02
		TW28X	300			4008158036939	1 V3	37,16
<b>Tilting adapter TW28AV</b>								
	• Clamping force up to 3,000 N • Accessory for BESSEY extension TW28X • Pivoting spindles with stepless adjustment from -52° to +52° • Lockable trapezoidal nut for secure fastening of the workpiece • High quality, 2-component plastic grip with long spindle	TW28AV	160			4008158038742	1 V3	84,56
<b>BAS-C compact clamp, fixing hole open</b>								
	• Clamping force up to 16,000 N • Space-saving construction, thus up to 30 % smaller than comparable competitive models • Housing and pressure arm made from hardened and tempered stainless steel, making it extremely robust and durable • Available in three pressure arm versions: Short and long pressure arm with swivelable aluminium pressure shoe or pointed pressure arm for clamping on narrow sections or in confined spaces • BAS-C with open fixing hole and BAS-CB with closed fixing hole for M 10 / M 12	BAS-C9-4	88	40		4008158021812	1 V3	331,25
		BAS-C10-6	97	60		4008158021805	1 V3	343,05
		BSP-C10-6	97	60		4008158021829	1 V3	342,11

	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
<b>BAS-CB compact clamp, fixing hole closed</b>								
	• Clamping force up to 16,000 N • Space-saving construction, thus up to 30 % smaller than comparable competitive models • Housing and pressure arm made from hardened and tempered stainless steel, making it extremely robust and durable • Available in three pressure arm versions: Short and long pressure arm with swivelable aluminium pressure shoe or pointed pressure arm for clamping on narrow sections or in confined spaces • BAS-C with open fixing hole and BAS-CB with closed fixing hole for M 10 / M 12	BAS-CB9-4	88	40		4008158021843	1 V3	331,25
		BAS-CB10-6	97	60		4008158021836	1 V3	343,05
		BSP-CB10-6	97	60		4008158021850	1 V3	342,11
<b>Base unit BASO</b>								
	• 80 mm extension • Stackable • Fastening hole open, including cheese head screw • Suitable for all BESSEY BAS clamps	BASO	80			4008158019031	1 V3	104,54
<b>Hold down table clamps BS</b>								
	• Clamping force up to 10,000 N • Tilting and infinitely height-adjustable • For drilling and light milling work • Lever mechanism for rapid clamping and release	BS2N	200	100	19,5 x 9,5	4008158018133	1 V3	157,33
		BS3N	200	120	22 x 10,5	4008158018140	1 V3	178,71
		BS4N	200	120	28 x 11	4008158018157	1 V3	195,40
		BS5N	240	140	30 x 15	4008158018164	1 V3	229,05
		BS6N	500	140	30 x 15	4008158031729	1 V3	341,18
<b>Claw machine clamp GRS</b>								
	• Clamping force up to 7,500 N • Swivelling, vertically infinitely adjustable clamp • Externally-positioned spindle to allow unobstructed access to the work area and clamping in confined spaces • For drilling and light milling work	GRS20-12	200	123-140	28 x 11	4008158035840	1 V3	196,94
<b>Hold down table clamps BSG</b>								
	• Clamping force up to 12,000 N • For fastening to tables and other equipment • Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°	BSG21-14	210	140	30 x 15	4008158027135	1 V3	154,29
<b>Vertical toggle clamp with open arm and horizontal base plate STC-VH</b>								
	• Lever is in vertical clamping position • Automatic, seamless adjustment of the clamping height up to 35 mm with almost constant clamping force – without manual changing of the pressing screw position • Adjustable clamping force up to 2,500 N, based on the adjusting screw in the joint • Sturdy, tempered sheet steel for longer service life • Base plate hole pattern suitable for millimetres and inches • High-quality, oil-resistant two-component plastic handle	STC-VH20	35			4008158036984	6 V3	31,76
		STC-VH50	40			4008158036991	6 V3	33,99
<b>Horizontal toggle clamp with open arm and horizontal base plate STC-HH</b>								
	• In the clamped position, the lever is horizontal • Automatic and infinitely variable adjustment of the clamping height up to 35 mm while clamping force remains unchanged – without having to make manual changes to the position of the pressure screws • Clamping force is variable up to 2,500 N depending on the adjustment of the set screw in the cantilevered joint • Sturdy, tempered metal sheets for a long service life • Hole pattern on the base plate designed to facilitate fast and secure clamping set-up for metric and imperial • High-quality oil resistant two-component plastic handle	STC-HH20	35			4008158036212	6 V3	31,19
		STC-HH20SB	35			4008158036748	3 V3	32,36
		STC-HH50	40			4008158035734	6 V3	33,99
		STC-HH50SB	40			4008158036755	3 V3	35,16
		STC-HH70	60			4008158035741	6 V3	34,93
		STC-HH70SB	60			4008158036762	3 V3	36,09









	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
<b>Push/pull clamp with horizontal base plate STC-IHH</b>								
	STC-IHH15	25			4008158036243	6	V3	31,89
	STC-IHH25	35			4008158035758	6	V3	35,74
	STC-IHH25SB	35			4008158036779	3	V3	36,91
<b>STC accessory set for multifunction tables</b>								
	STC-HH50-T20	40			4008158040301	1	V3	47,54
	STC-HH70-T20	60			4008158040318	1	V3	48,48
	STC-IHH25-T20	35			4008158040325	1	V3	49,29
	STC-VH50-T20	40			4008158040332	1	V3	47,54
<b>Adapter for multifunction tables STC-SET-T20</b>								
	STC-SET-T20				4008158040288	10	V3	13,55
<b>One-handed lifting tool BEYCEPS BEY23</b>								
	BEY23				4008158050973	4	V3	111,51
<b>Installation kit BEYCEPS BEY-IK</b>								
	BEY-IK				4008158051604	4	V3	60,36

**NEW**








**NEW**

	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
<b>Vario K Body REVO parallel clamp KREV</b>								
	KREV100-2K	1000	95	29 x 9	4008158040202	2	V3	112,72
	KREV150-2K	1500	95	29 x 9	4008158040219	2	V3	138,41
	KREV200-2K	2000	95	29 x 9	4008158040226	2	V3	163,99
	KREV250-2K	2500	95	29 x 9	4008158040233	2	V3	189,57
<b>K Body REVO parallel clamp KRE</b>								
	KRE30-2K	300	95	29 x 9	4008158040127	2	V3	67,40
	KRE60-2K	600	95	29 x 9	4008158040134	2	V3	83,05
	KRE80-2K	800	95	29 x 9	4008158040141	2	V3	94,72
	KRE100-2K	1000	95	29 x 9	4008158040158	2	V3	105,24
	KRE125-2K	1250	95	29 x 9	4008158040165	2	V3	118,32
	KRE150-2K	1500	95	29 x 9	4008158040172	2	V3	130,59
KRE200-2K	2000	95	29 x 9	4008158040189	2	V3	155,81	
KRE250-2K	2500	95	29 x 9	4008158040196	2	V3	182,33	
<b>Body clamp set KRE-SET-A</b>								
	KRE-SET-A	1000	95	29 x 9	4010220024553	1	V3	539,16
<b>Variable jaw KRE-VO</b>								
	KRE-VO				4008158040240	12	V3	26,28
<b>Framing set KP</b>								
	KP				4008158004549	12	V3	37,73
<b>Tilting K Body clamp adapter KR-AS (2 pcs./bag)</b>								
	KR-AS				4008158032542	12	V3	17,40

**NEW**

	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
<b>K Body parallel clamp extender KBX</b>								
	KBX20				4008158034997	12	V3	24,64
<b>Table clamp</b>								
	TK6	60	22		4008158015255	50	V3	5,26
	RB269	60	28		4008158026077	25	V3	11,10
	LM10/5R8	100	50		4008158032238	10	V3	25,46
	LM15/5R8	150	50		4008158032245	10	V3	26,28
<b>Lightweight parallel clamp UK UniKlapp</b>								
	UK16	160	80	20 x 5	4008158027197	6	V3	26,04
	UK30	300	80	20 x 5	4008158027203	6	V3	26,39
	UK60	600	80	20 x 5	4008158027210	6	V3	28,04
	UK80	800	80	20 x 5	4008158405346	6	V3	32,71
	UK100	1000	80	20 x 5	4008158035772	6	V3	34,46
<b>Area pressure clamps FK</b>								
	FK16-8	160	80	16 x 7,5	4008158000909	10	V3	43,57
	FK20-10	200	100	19,5 x 9,5	4008158000923	10	V3	55,37
	FK40-10	400	100	19,5 x 9,5	4008158000930	5	V3	62,61
<b>Box clamp KS</b>								
	KS100	200-1000	16		4008158032054	1	V3	141,44
	KS150	200-1500	16		4008158032061	1	V3	157,92
	Extension KSV	KSV	1000		4008158032078	1	V3	71,36
<b>GearKlapp GK</b>								
	GK15	150	60	19 x 6	4008158040844	6	V3	32,12
	GK30	300	60	19 x 6	4008158040813	6	V3	34,93
	GK45	450	60	19 x 6	4008158040820	6	V3	37,49
	GK60	600	60	19 x 6	4008158040837	6	V3	41,70
<b>One-handed clamp EHZ with 2-component handle</b>								
	EHZ30-2K	300	100	19,5 x 9,5	4008158030661	6	V2	56,53
	EHZ60-2K	600	100	19,5 x 9,5	4008158030692	6	V2	68,45
<b>One-handed clamp with rotating handle EZ360</b>								
	EZ360S-11SET	110	40	7 x 2,5	4008158051086	8	V3	21,70
	EZ360M-15	150	60	14 x 5	4008158051062	6	V3	22,69
	EZ360M-30	300	60	14 x 5	4008158051079	6	V3	25,27
	EZ360-15	150	80	18 x 5	4008158041988	6	V3	32,30
	EZ360-30	300	80	18 x 5	4008158041995	6	V3	34,80
	EZ360-45	450	80	18 x 5	4008158042008	6	V3	37,77
	EZ360-60	600	80	18 x 5	4008158042015	6	V3	41,27

**NEW**

	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
<b>One-handed clamp EZ</b>								
	EZS11-4SET	110	40	7 x 2,5	4008158041117	10	V3	17,76
	EZM15-6	150	60	14 x 5	4008158041124	6	V3	18,58
	EZM30-6	300	60	14 x 5	4008158041131	6	V3	20,67
	EZL15-8	150	80	18 x 5	4008158041148	6	V3	25,46
	EZL30-8	300	80	18 x 5	4008158041155	6	V3	28,14
	EZL45-8	450	80	18 x 5	4008158041162	6	V3	30,14
	EZL60-8	600	80	18 x 5	4008158041179	6	V3	33,99
	EZXL30-9	300	90	22 x 8	4008158041209	6	V3	39,02
	EZXL60-9	600	90	22 x 8	4008158041223	6	V3	46,95
	EZXL90-9	900	90	22 x 8	4008158041230	6	V3	53,37
<b>One-handed clamp set EZM-EZL-SET</b>								
	EZM-EZL-SET	150	60	14 x 5	4008158041377	4	V3	93,44
		300	80	18 x 5				
<b>Installation kit for EZ-TD decking boards EZ-TD</b>								
	EZ-TD				4008158050805	6	V3	15,59
<b>One-handed clamp EZS</b>								
	EZS15-8	150	80	19 x 6	4008158034584	6	V3	30,37
	EZS30-8	300	80	19 x 6	4008158034591	6	V3	33,86
	EZS45-8	450	80	19 x 6	4008158034607	6	V3	36,44
	EZS60-8	600	80	19 x 6	4008158034614	6	V3	40,89
	EZS90-8	900	80	19 x 6	4008158035000	6	V3	46,25
<b>One-handed clamp DuoKlapp DUO</b>								
	DUO16-8	160	85	20 x 5	4008158028521	6	V3	30,84
	DUO30-8	300	85	20 x 5	4008158028538	6	V3	34,11
	DUO45-8	450	85	20 x 5	4008158028545	6	V3	37,15
	DUO65-8	650	85	20 x 5	4008158028552	6	V3	41,35
<b>Rafter clamp SPZ</b>								
	SPZ60K	600	120	27 x 13	4008158026930	5	V2	125,20
	SPZ80K	800	140	30 x 15	4008158027425	2	V2	195,87
<b>Special pressure plate for SPZ80K</b>								
	3100736				4008158031668	1	V3	25,93
	3102127				4008158051598	1	V3	25,93
	3101192				4008158030968	1	V3	29,08
	3101193				4008158030975	1	V3	29,08

**NEW**







**NEW**

	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
<b>High-tech lever clamp KliKlamp KLI</b>								
	KLI12	120	80	20 x 5	4008158027227	6	V3	28,38
	KLI16	160	80	20 x 5	4008158027234	6	V3	29,31
	KLI20	200	80	20 x 5	4008158027241	6	V3	30,01
	KLI25	250	80	20 x 5	4008158027258	6	V3	31,42
	KLI30	300	80	20 x 5	4008158028743	6	V3	32,36
KLI40	400	80	20 x 5	4008158028750	10	V3	34,80	
<b>High-tech lever clamp KliKlamp set in systainer KLI-S</b>								
	KLI-S				4008158027296	1	V3	557,73
<b>High-tech lever clamp KliKlamp counter display KLI-D</b>								
	KLI-D				4008158027302	1	V3	479,82
<b>Light duty bar clamp U-style LMU</b>								
	LMU10/5	100	50	15 x 5	4008158032559	24	V1	10,05
	LMU15/5	150	50	15 x 5	4008158032566	24	V1	10,40
	LMU20/5	200	50	15 x 5	4008158032573	24	V1	10,86
<b>Die-cast zinc screw clamp LM</b>								
	LM10/5	100	50	15 x 5	4008158004600	10	V1	11,91
	LM15/5	150	50	15 x 5	4008158004723	10	V1	12,27
	LM20/5	200	50	15 x 5	4008158005485	10	V1	12,38
	LM25/5	250	50	15 x 5	4008158005607	10	V1	14,02
	LM30/5	300	50	15 x 5	4008158005898	10	V1	14,13
	LM15/8	150	80	20 x 5	4008158004853	10	V1	19,73
	LM20/8	200	80	20 x 5	4008158006147	10	V1	20,67
	LM25/8	250	80	20 x 5	4008158005676	10	V1	21,61
	LM30/8	300	80	20 x 5	4008158005966	10	V1	22,09
	LM20/10	200	100	25 x 6	4008158005430	10	V1	32,71
	LM25/10	250	100	25 x 6	4008158006246	10	V1	33,76
	LM30/10	300	100	25 x 6	4008158005829	10	V1	35,04
	LM40/10	400	100	25 x 6	4008158006031	10	V1	37,49
LM50/10	500	100	25 x 6	4008158006321	10	V1	39,71	
LM60/10	600	100	25 x 6	4008158006413	10	V1	42,75	
LM80/10	800	100	25 x 6	4008158006475	10	V1	46,49	
<b>Wood Klemmy HKL</b>								
	HKL20	200	110	20 x 5	4008158026831	16	V1	16,99
	HKL30	300	110	20 x 5	4008158026848	16	V1	18,78
	HKL40	400	110	20 x 5	4008158026855	16	V1	21,05
	HKL60	600	110	20 x 5	4008158026862	16	V1	23,93
	HKL80	800	110	20 x 5	4008158026879	4	V1	25,25
HKL100	1000	110	20 x 5	4008158026886	4	V1	27,15	
<b>Aluminium mini clamp AM</b>								
	AM4	47	34		4008158001449	50	V3	6,77
<b>Parallel screw clamp PA</b>								
	PA28	36	19		4008158005362	50	V3	14,13
	PA40	46	26		4008158005386	50	V3	16,93
	PA55	60	35		4008158006802	50	V3	21,02
	PA70	87	50		4008158006826	20	V3	28,97
	PA105	116	72		4008158005348	20	V3	39,02









	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
<b>Mini Vice S10</b>								
	S10-ST	100			4008158001401	10	V3	31,42
<b>Table clamp</b>								
	TK6	60	22		4008158015255	50	V3	5,26
	RB269	60	28		4008158026077	25	V3	11,10
	LM10/5R8	100	50		4008158032238	10	V3	25,46
	LM15/5R8	150	50		4008158032245	10	V3	26,28
<b>One-handed table clamp with rotating handle for guide rails EZR360 (2 pcs./package)</b>								
	EZR360-15SET	150	60	14 x 5	4008158052113	8	V3	60,00
<b>All-steel table clamp GTR</b>								
	GTR12	120	60	13,5 x 6,5	4008158018126	10	V2	21,02
	GTR12SET	120	60	13,5 x 6,5	4008158039374	5	V2	42,05
	GTR16B6	160	60	13,5 x 6,5	4008158037165	10	V2	22,78
	GTR30B6	300	60	13,5 x 6,5	4008158038780	10	V2	25,69
<b>All-steel table clamp GTRH with lever handle</b>								
	GTR16S6H	160	60	13,5 x 6,5	4008158035277	10	V2	55,02
<b>Spring clamp VarioClippix XV</b>								
	XV3-50	55	37		4008158028569	12	V3	8,17
	XV5-100	100	50		4008158028576	12	V3	10,40
<b>Spring clamp VarioClippix XV</b>								
	XV5-170	170	50		4008158031453	12	V3	11,33
<b>Spring clamp Clippix XC</b>								
	XC1	20	20		4008158031392	10	V3	1,75
	XC1-SET	20	20		4008158031408	12	V3	7,13
	XC2	25	30		4008158028583	10	V3	2,58
	XC3	35	37		4008158028590	10	V3	3,73
	XC5	50	50		4008158028606	10	V3	5,48
	XC7	75	70		4008158028613	10	V3	7,24









	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
<b>Needle nose spring clamp Clippix XCL</b>								
	• Long, pointed clamping arm for working in tight spaces • Large throat depth for clamping in borderless areas • Soft, slip-proof grip pads • XCL2-SET – On carded hang pack	XCL2	55	60	4008158031422	10	V3	4,08
		XCL2-SET	55	60	4008158031446	10	V3	7,00
		XCL5	70	110	4008158031439	10	V3	6,08
<b>Spring clamp XM</b>								
	• Tips and handles made of PVC prevent marring • Heavy duty springs for firm grip and powerful clamping • Corrosion resistant nickel plated	XM3EU	25	32	4008158041063	48	V3	3,38
		XM5EU	50	57	4008158041070	24	V3	5,02
		XM7EU	75	85	4008158041568	10	V3	8,06
<b>Ratchet clamp XCR</b>								
	• Ideal for light clamping work that requires a greater throat depth and for workpiece-friendly clamping • Comfortable handling thanks to ergonomic 2-component plastic handle and one-hand operation • Quick opening and closing thanks to robust ratchet mechanism • Twice as strong compared to conventional spring clamps	XCR2	55	50	4008158041728	6	V3	12,38
		XCR4	100	75	4008158041735	4	V3	14,83
<b>Band clamp BAN 700</b>								
	• Even pressure on mitre joints • Crank handle can be relocated for right and left-handed users • Contains: 1 band clamp, 4 Vario corners	BAN700			4008158023250	5	V3	55,02
<b>Band clamp BAN 400</b>								
	• Clamp right-angled workpieces with 4 plastic corners • Even pressure at all 4 corners	BAN400			4008158031460	12	V3	36,67
<b>Vario corners BVE (6 pcs./bag)</b>								
	• Infinite angle adjustment from 60-180°	BVE			4008158023267	6	V3	16,36
<b>Angle clamp WS</b>								
	• Automatic adjustment to variously-sized workpieces • Quick – clamp with a spindle • Stable body • For attaching with table clamp – available as an accessory • WS 3 – on carded hang pack	WS3	2 x 55		4008158010427	10	V3	68,68
		WS6	2 x 100		4008158010410	4	V3	98,58
<b>Angle clamp WS</b>								
	• Clamp variously-sized workpieces with 2 spindles • For light clamping work • Made from die-cast zinc	WS1	2 x 73		4008158028255	12	V3	10,86
<b>Mitre clamping system MCX</b>								
	• Mitre system for 22.5°, 30°, 45° and 60° angles • Even pressure on the mitre • Angle adapter can be changed without tools • Practical accessory for BESSEY screw clamps TG,GZ, GMZ, EHZ, EZS, DUO and EZL/EZXL	MCX	100		4008158032030	1	V3	43,79
<b>One-handed edge clamp EKT</b>								
	• For rapid one-handed operation • Low weight • Opening up to 55 mm	EKT55	10-55	45	4008158026473	1	V3	78,61







	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR	
<b>Edge clamp Kantenfix KF</b>									
	• For quick one-handed operation • Widths up to 80 mm	KF2	10-40	80	4008158031880	4	V3	77,08	
		KF4	10-80	110	4008158031897	4	V3	165,97	
<b>Edge clamp KT</b>									
	• Practical accessory for clamping edges and difficult to reach areas • Suitable for conventional screw clamps with a max. rail thickness of 13 mm	KT5-1CP			4008158026176	40	V1	18,69	
		KT5-2			4008158004587	20	V1	29,91	
<b>C-frame edge clamp KT</b>									
	• Three-spindle C-frame clamp • Extra strong, with forged frame • Universally applicable within the fields of wood and metal processing • Suitable for welding	KT8-3	80	80	4008158017600	5	V3	109,68	
<b>Panel carrier KFP</b>									
	• Load-bearing capacity 75 kg • For the safe lifting and carrying of panels such as wood sheets, chipboard panels, glass and plexiglass • High-friction rubber coating on the moving clamping jaws	KFP	10-65		4008158031903	2	V3	144,71	
<b>Workbench adapter TW16AW</b>									
	• Accessories for BESSEY TWV and TW clamping elements with 16 hole system • Suitable for all common workbenches with a hole system • Can be used without tools • The stud pin can be changed to use other hole systems	TW16AW19			4008158039633	10	V3	15,53	
		TW16AW20			4008158040059	10	V3	16,93	
		TW16AW30			4008158040097	10	V3	20,08	
<b>Clamping element with variable throat depth TWV</b>									
	• Clamping force up to 2,500 N • Precise, individual clamping • Tempered profile and sliding arm for sprung and elastic clamping • Infinitely adjustable throat depth • Various design versions: • High quality 2-component plastic handle and tommy bar with rounded ends – each with smooth-running trapezoidal threaded spindle and tool-free pressure plate replacement • Lever handle with an indexing mechanism for controlled, fast and vibration-proof clamping	TWV16-20-15-2K	200	30-150	22 x 8,5	4008158038759	5	V3	77,68
		TWV16-20-15K	200	30-150	22 x 8,5	4008158038773	5	V3	77,68
		TWV16-20-15H	200	60-150	22 x 8,5	4008158038766	5	V3	107,10
<b>Clamping element with fixed throat depth TW</b>									
	• Clamping force up to 3,000 N • Precise, individual clamping • Tempered profile and sliding arm for sprung and elastic clamping • Various design versions: • High quality 2-component plastic handle and tommy bar with rounded ends – each with smooth-running trapezoidal threaded spindle and tool-free pressure plate replacement • Lever handle with an indexing mechanism for controlled, fast and vibration-proof clamping • TW22: Compatible with Barth and Beck lift tables	TW16-20-10-2K	200	100	22 x 8,5	4008158038681	5	V3	47,54
		TW16-20-10K	200	100	22 x 8,5	4008158038704	5	V3	47,54
		TW16-20-10H	200	100	22 x 8,5	4008158038698	5	V3	84,56
		TW22-20-10-2K	200	100	22 x 8,5	4008158041629	5	V3	47,54






	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
<b>Horizontal fixture clamp WNS-SET-MFT</b>								
	WNS-SET-MFT				4008158041872	8	V3	87,61
<ul style="list-style-type: none"> <li>Clamping force up to 750 N</li> <li>For using on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm</li> <li>Quick fixing thanks to clamping levers on the side</li> <li>Makes full-surface working of the workpiece possible – even round and flat parts</li> <li>Patented pull-down mechanism prevents the workpiece from lifting from the table surface when clamping – even without fastening screws</li> <li>BH-MFT can also be used as a universal limit stop for workpieces</li> <li>Includes:                             <ul style="list-style-type: none"> <li>2 x horizontal fixture clamp</li> <li>2 x bench dog</li> <li>4 x knurled nut</li> </ul> </li> </ul>								
<b>Bench dog for multifunctional tables BH-MFT</b>								
	BH-MFT				4008158041902	50	V3	15,06
<ul style="list-style-type: none"> <li>Accessory for BESSEY horizontal pull-down clamps WNS-SET-MFT</li> <li>For using on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm</li> <li>Can also be used as a universal limit stop for workpieces</li> <li>Includes:                             <ul style="list-style-type: none"> <li>4 x bench dog</li> <li>4 x knurled nut</li> </ul> </li> </ul>								
<b>Clamping element for multifunction tables TW-KLI (2 pcs./bag)</b>								
	TW20-15-8KLI-SET	150	80	20 x 5	4008158042336	10	V3	71,02
<ul style="list-style-type: none"> <li>Clamping force up to 500 N</li> <li>For using on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm to max. 25 mm</li> <li>Stable sliding arm made of light magnesium for rapid, vibration-proof clamping</li> <li>Profile made of cold-drawn quality steel for flexible and elastic clamping</li> </ul>								
<b>Clamping tool set for working on the table MFT-A</b>								
	MFT-A				4008158050676	10	V3	158,63
<ul style="list-style-type: none"> <li>Set contains four clamping tools for 20 mm hole diameters: 1 x WNS-SET-MFT and 1 x TW20-15-8KLI-SET</li> </ul>								
<b>Toggle clamp systainer STC-S-MFT</b>								
	STC-S-MFT				4008158040691	1	V3	444,54
<ul style="list-style-type: none"> <li>Multi-functional systainer for installation technicians</li> <li>With wood insert including 20 holes</li> <li>And 3 different clamping options</li> </ul>								
<b>Adapter for multifunction tables STC-SET-T20</b>								
	STC-SET-T20				4008158040288	10	V3	13,55
<ul style="list-style-type: none"> <li>For using the BESSEY toggle clamps on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm to max. 25 mm</li> </ul>								

**NEW**

	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
<b>STC accessory set for multifunction tables</b>								
	STC-HH50-T20	40			4008158040301	1	V3	47,54
	STC-HH70-T20	60			4008158040318	1	V3	48,48
	STC-IHH25-T20	35			4008158040325	1	V3	49,29
	STC-VH50-T20	40			4008158040332	1	V3	47,54
<b>Seaming tool PS 130, big and strong</b>								
	PS130	5-130			4008158035765	1	V3	705,01
<ul style="list-style-type: none"> <li>For clamping and positioning large and potentially heavy components with a smooth surface, such as artificial stone, ceramic, granite, Corian®, plastic, sheet metal and glass</li> <li>Manual vacuum pumps for maximum suction power, and therefore a maximum level of horizontal clamping force up to 1,200 N</li> <li>Marking ring on the pump lever to permanently check for a reliable vacuum</li> <li>Practical quick adjustment function for rapid adjustment of the distance between the two suction cups</li> </ul>								
<b>Seaming tool PS 55</b>								
	PS55	10-55			4008158027050	1	V3	299,36
<ul style="list-style-type: none"> <li>For clamping and positioning components with a smooth surface, such as ceramic, granite, Corian®, plastic, sheet metal and glass, which require low clamping forces (up to 260 N)</li> <li>Clamping levers on the suction cups ensure rapid handling</li> <li>Cam lever to compensate for differing heights at the joint</li> </ul>								
<b>Door frame clamp TU</b>								
	TU	565-1010			4008158001302	2	V3	92,27
<ul style="list-style-type: none"> <li>Gently and precisely braces and supports door casing during foam filling of wall joint</li> <li>Telescopic square anodised aluminium tubing with mm scale and adjusting screw for precision work</li> <li>Cross-shaped pressure plate with interchangeable clamping elements for frame depths of 6 to 13 cm or 13 to 30 cm</li> <li>Removable clamping bracket with increased clamping surfaces and removable brackets to insert the door frame securely and easily</li> </ul>								
<b>Door frame clamp set TU-TRAGE</b>								
	TU-TRAGE				4008158001319	1	V3	573,26
<ul style="list-style-type: none"> <li>In a nylon wheeled case or safe and dustfree storage and for easy transport</li> <li>Content:                             <ul style="list-style-type: none"> <li>6 (3 sets) door frame clamps for a total of 3 doors</li> </ul> </li> </ul>								
<b>Door frame brace extension TUX</b>								
	TUX	1040-1960			4008158039398	20	V3	35,04
<ul style="list-style-type: none"> <li>Accessories to increase the opening width of the TU door frame brace</li> <li>This enables extra-wide doors to be installed</li> <li>It can be used without tools in just a few steps</li> </ul>								
<b>Door frame straightening clamp TFM</b>								
	TFM-2K		70		4008158040714	2	V3	38,77
<ul style="list-style-type: none"> <li>For quick, precise aligning and fixing of door frames</li> <li>The intelligent companion for the BESSEY door frame clamp TU and TMS</li> </ul>								
<b>Angle door frame straightening clamp WTR</b>								
	WTR	8-30			4008158026947	2	V3	99,64
<ul style="list-style-type: none"> <li>For neatly fixed and stabilised frame corners</li> <li>For mounting at a precise 90° angle</li> </ul>								

	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
<b>Door frame assembly device TMS</b>								
	TMS	560-1010			4008158026794	2	V3	45,08
<ul style="list-style-type: none"> <li>Gently and precisely braces and supports door casing during foam filling of wall joint</li> <li>Telescopic round aluminium tube with adjusting screw for precision work</li> <li>With clamping elements on the clamping faces in order to secure struts in frames and to hold them at precise distances</li> </ul>								
<b>Window installation clamp FRK</b>								
	FRK85	40-85			4008158022321	4	V3	57,00
<ul style="list-style-type: none"> <li>Permits rapid, precise straightening and fixing of window frames</li> </ul>								
<b>Pipe clamping set BPC</b>								
	BPC-H12		40		4008158032382	4	V3	34,57
	BPC-H34		42		4008158032375	4	V3	38,19
<ul style="list-style-type: none"> <li>Suitable for steel pipes DN 20/R3/4 or DN 15/R1/2</li> <li>Outer diameter 26.9 mm or 21.3 mm</li> <li>Infinitely-adjustable clamping width</li> <li>With stand</li> </ul>								
<b>Sash clamps TB with T-profile 40 x 40 x 5 mm</b>								
	TB100	1000			4008158007984	1	V3	131,40
	TB120	1200			4008158007991	1	V3	137,72
	TB150	1500			4008158008004	1	V3	148,69
	TB210	2100			4008158008028	1	V3	178,24
	TB250	2500			4008158008035	1	V3	205,21
<ul style="list-style-type: none"> <li>Clamping force up to 14,000 N</li> <li>With attached locking bolt</li> <li>Tommy bar</li> <li>Sturdy thanks to T-profile</li> </ul>								
<b>Sash clamps TL, light with I-profile 37 x 11 x 4.5 mm</b>								
	TL60	600			4008158040745	2	V3	52,44
	TL90	900			4008158040752	2	V3	66,11
	TL120	1200			4008158040769	2	V3	79,44
	TL180	1800			4008158040776	2	V3	108,39
<ul style="list-style-type: none"> <li>Clamping force up to 9,900 N</li> <li>Easily adjustable pressure plates</li> <li>Crank handle</li> <li>Very sturdy thanks to I-profile</li> </ul>								
<b>Spacer AV2 (4 pcs./bag)</b>								
	AV2	20			4008158035895	12	V3	12,73
<ul style="list-style-type: none"> <li>Quickly and infinitely adjustable for wall distances of 5 to 20 mm</li> <li>Spacer for floating laminate and parquet flooring installations</li> <li>Wide contact and support area for avoiding pressure points on the floorboards and plaster</li> <li>Easy to remove by simply turning back</li> <li>Very light and compact</li> </ul>								
<b>Spacer PVA</b>								
	PVA	35			4008158021164	6	V3	34,80
<ul style="list-style-type: none"> <li>Infinitely adjustable for wall distances of 7 to 35 mm</li> <li>Front and lateral support when gluing solid wood floorings</li> <li>Pull-down function dependent on the inclined angle of the spindle, with movable mounted pressure plate with protective cap</li> <li>Extra wide contact area of 130 mm prevents edge damage to the floorboards</li> </ul>								
<b>Flooring and clamping system SVH/SVG</b>								
	SVH400	4000			4008158023274	1	V3	36,09
	SVH760	7600			4008158032108	1	V3	54,20
	SVG	4000			4008158026817	1	V3	29,65
<ul style="list-style-type: none"> <li>For laying parquet, laminated and panel flooring</li> <li>SVH with spacer and band of high-strength polyester</li> <li>SVH 400 and SVG – on carded hang pack</li> </ul>								



	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
<b>Telescopic drywall support STE with pump grip</b>								
	STE55				4008158051192	2	V3	49,88
	STE90				4008158041841	2	V3	52,46
	STE150				4008158051208	2	V3	54,50
	STE250				4008158041254	2	V3	58,63
	STE300				4008158041261	2	V3	64,14
STE370				4008158041278	2	V3	68,33	
<ul style="list-style-type: none"> <li>Resilient up to a maximum of 3,500 N / 350 kg / 770 lbs when the telescopic rod is fully retracted</li> <li>Extremely stable construction due to highly durable steel pipes and non-slip TPU contact surfaces (9 x 7 cm)</li> <li>Single-handed operation thanks to 2-component plastic handle with pump mechanism</li> <li>Quick-slide button for rapid extension and retraction of the telescopic bar</li> <li>Controllable holding force by turning the support on the grip</li> <li>Application also on slopes due to continuously swivelling contact surfaces from -45° to +45°</li> <li>STE150, STE250, STE300, STE370: GS-certified for quality and safety</li> </ul>								
<b>Telescopic drywall support ST</b>								
	ST125				4008158031590	2	V3	33,02
	ST250				4008158040110	2	V3	40,20
	ST290				4008158031583	2	V3	43,80
<ul style="list-style-type: none"> <li>Resilient up to a maximum of 150 kg when the telescopic rod is fully retracted</li> <li>Stable construction due to special steel pipes and anti-slip PVC contact surfaces (8,5 x 6,5 cm)</li> <li>Application also on slopes due to continuously swivelable contact surfaces of -45° to +45°</li> <li>Easy, safe handling due to a telescoping and locking inner pipe as well as an outer pipe that can be turned by the foam grip</li> <li>GS-certified for quality and safety</li> </ul>								
<b>Multi-function/laser fixture STE-LH</b>								
	STE-LH				4008158041469	12	V3	20,82
<ul style="list-style-type: none"> <li>Accessory with 1/4 thread for holding a laser, camera etc</li> <li>Can be used without tools on round (0-45 mm) and angular (0-55 mm) support parts such as ceiling and assembly supports, profiles, ladders</li> <li>L-shaped rotating fixture with 2 rotation axes: 360° next to fixing clamp, 180° at threaded connection</li> </ul>								
<b>Support plate STE-SP35</b>								
	STE-SP35				4008158041452	20	V3	18,19
<ul style="list-style-type: none"> <li>Light aluminium profile with non-slip cellular rubber</li> <li>For increasing the support surface of BESSEY ceiling and assembly supports ST (only in conjunction with replacement contact surface 3101952) and STE</li> <li>Secure fastening onto the contact surfaces thanks to star grip screws</li> </ul>								
<b>Replacement contact surface</b>								
	3101952				4008158041544	1	V3	12,92
<b>Ceiling tripod attachment STE-DS</b>								
	STE-DS				4008158041865	1	V3	22,97
<ul style="list-style-type: none"> <li>Accessory for ceiling supports with an outer diameter of the telescopic inner tube of 25 mm and 28 mm</li> <li>For increasing the support surface</li> <li>Even pressure thanks to the three-winged contact surfaces</li> <li>Quick, tool-free installation</li> <li>Safe to use as tipping of the contact surface is prevented by the all-round fixing of the steel pipe</li> </ul>								

	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
<b>Construction tripod STE-BS</b>								
	STE-BS				4008158041858	1	V3	59,70
<ul style="list-style-type: none"> <li>Accessory for ceiling supports with an outer pipe diameter of 29 mm and 32 mm</li> <li>Stable stand as the force of the braced ceiling support acts downwards in places</li> <li>Ceiling supports can even be placed freely in the room without a top bracing and can therefore also be used outdoors</li> <li>Quick, tool-free installation</li> <li>Light and stable structure thanks to aluminium profiles and glass-fibre reinforced plastic</li> </ul>								
<b>Small construction tripod STE-KBS</b>								
	STE-KBS				4008158051253	12	V3	15,29
<ul style="list-style-type: none"> <li>Accessory for STE55 telescopic support</li> <li>Accessory for STE90 telescopic support as a smaller, space-saving alternative to the larger construction tripod STE-BS</li> <li>Telescopic support can be positioned upright even when untensioned and pre-positioning is made easier</li> <li>Non-slip protective caps to protect sensitive surfaces</li> <li>Quick, tool-free assembly</li> <li>Light and stable construction thanks to reinforced PA6 plastic</li> </ul>								
<b>Large multifunction fixture STE-MH-SET (2 pcs./bag)</b>								
	STE-MH-SET				4008158051024	10	V3	30,64
<ul style="list-style-type: none"> <li>Accessory for BESSEY telescopic supports STE (outer diameter 32 mm) and ST (outer diameter 29 mm)</li> <li>Fixture for the temporary assembly of partition walls and storage surfaces, e.g. tables, shelves</li> <li>Thanks to the 1/4" thread, also suitable for tools such as lasers (e.g. Stabila LAX 600G, Bosch GLL 3-80 CG), cameras and construction lights</li> <li>T-profile for the use of table clamps</li> <li>Quick, tool-free assembly</li> <li>Maximum load of 50 kg per fixture thanks to stable construction made of reinforced PA6 plastic and non-slip contact surface</li> </ul>								
<b>Cross connector STE-CC-SET (2 pcs./bag)</b>								
	STE-CC-SET				4008158051017	10	V3	20,41
<ul style="list-style-type: none"> <li>Accessory for telescopic supports with an outer tube diameter of 20 mm to 34 mm</li> <li>Can be used for fastening cross connections, such as tubes, and as a temporary suspension option, e.g. for lamps, bicycles, etc.</li> <li>360° flexible pre-positioning, which is held securely thanks to the 16-step latching mechanism</li> <li>Maximum load of 30 kg per connector thanks to stable construction made of reinforced PA6 plastic and non-slip contact surface</li> </ul>								
<b>Combi-bag for ceiling supports STE-BAG</b>								
	STE-BAG				4008158041896	10	V3	80,59
<ul style="list-style-type: none"> <li>For convenient transport and protected storage of two BESSEY ceiling and installation supports STE300 and STE370 as well as the STE-LH and STE-SP35 accessories</li> <li>Comfortable thanks to the padded shoulder strap and the possibility to adjust the length of the bag to the ceiling supports to be placed within</li> <li>Easy to use due to the long zip-up case and four exterior pockets for additional storage space</li> <li>Durable material</li> </ul>								

**NEW**

**NEW**

**NEW**

	Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
<b>Clamp trolley ZW1</b>								
	ZW1				4008158017211	1	V3	546,75
	ZW1-A01				4008158032146	1	V2	2117,96
	ZW1-A01-2K				4008158032115	1	V2	2166,43
	ZW1-A99-2K				4008158032122	1	V1	2104,64
<ul style="list-style-type: none"> <li>Stable metal construction on castors</li> <li>Dimensions 50 x 60 x 146 cm</li> <li>Holds up to 90 clamps</li> <li>Malleable cast iron-, all-steel- and lever clamps with clamping ranges between 120 and 600 mm</li> <li>With label and label holder</li> <li>Suitable as sales aid and for the workshop area</li> </ul>								
<b>Clamp trolley ZW2</b>								
	ZW2				4008158017228	1	V3	885,58
	ZW2-A99				4008158031699	1	V1	4040,04
	ZW2-A99-2K				4008158032139	1	V1	4130,56
<ul style="list-style-type: none"> <li>Stable metal construction on castors</li> <li>Dimensions 100 x 60 x 153 cm</li> <li>Holds up to 120 clamps, it even holds long screw clamps</li> <li>Malleable cast iron and all-steel with clamping ranges between 200 and 2000 mm</li> <li>With label and label holder</li> <li>Suitable as sales aid and for the workshop area</li> </ul>								

	Order no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm <sup>2</sup> )	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
<b>Shape and straight cutting snips D39ASS</b>								
	D39ASS	230	30	1,2	4010220031957	5	V4	96,71
	D39ASSL	230	30	1,2	4010220031964	5	V4	96,71
	D39ASS-SB	230	30	1,2	4010220032091	5	V4	97,87
	D39ASSL-SB	230	30	1,2	4010220032107	5	V4	97,87
<ul style="list-style-type: none"> <li>• For continuous, straight and curved cuts</li> <li>• Extremely compact cutter head with a partially countersunk head screw connection for increased manoeuvrability and precision for curved cuts</li> <li>• Joint area screwed connection with stud bolt, sintered disc and maintenance-free spring for extreme robustness</li> <li>• Reduced handle opening angle for optimised handling and an even cutting length</li> <li>• Central latch for easy operation without having to change your grip</li> <li>• Available in right or left cutting versions</li> </ul>								
<b>Shape and straight cutting snips D29ASS-2</b>								
	D29ASS-2	260	33	1,2	4010220030226	5	V4	82,92
	D29ASSL-2	260	33	1,2	4010220030240	5	V4	82,92
	D29ASS-2-SB	260	33	1,2	4010220030233	5	V4	84,09
	D29ASSL-2-SB	260	33	1,2	4010220030257	5	V4	84,09
<ul style="list-style-type: none"> <li>• ERGO-handle for increased comfort – reduced hand fatigue!</li> <li>• For continuous, straight and curved cuts</li> <li>• Compact cutter head: High manoeuvrability for shape cutting</li> <li>• Optimised leverage ratio: 25 % less effort</li> <li>• Optimised edge shape: No slipping even without serrations</li> <li>• Available in right or left cutting versions</li> </ul>								
<b>Set of shape and straight cutting snips DSET29-15</b>								
	DSET29-15				4010220031339	1	V4	199,84
Contents: 1 x D29ASS-2 1 x D29ASSL-2 1 x D15A in snips pouch								
<b>Shape cutting snips D29SS-2</b>								
	D29SS-2	260	40	1,2	4010220030189	5	V4	79,19
	D29SSL-2	260	40	1,2	4010220030202	5	V4	79,19
<ul style="list-style-type: none"> <li>• ERGO-handle for increased comfort – reduced hand fatigue!</li> <li>• For short, straight and curved cuts</li> <li>• Edges with micro-serrations for slip-proof working</li> <li>• Available in right or left cutting versions</li> </ul>								
<b>Straight cutting snips D29BSS-2</b>								
	D29BSS-2	260	33	1,2	4010220030264	5	V4	90,05
	D29BSSL-2	260	33	1,2	4010220030288	5	V4	90,05
<ul style="list-style-type: none"> <li>• ERGO-handle for increased comfort – reduced hand fatigue!</li> <li>• For continuous, straight cuts</li> <li>• Edges with micro-serrations for slip-proof working</li> <li>• Available in right or left cutting versions</li> </ul>								
<b>Shape and straight cutting snips D27A</b>								
	D27A	260	33	1,2	4010220019283	5	V4	66,35
	D27AL	260	33	1,2	4010220019368	5	V4	66,35
	D27A-SB	260	33	1,2	4010220024812	5	V4	67,51
	D27AL-SB	260	33	1,2	4010220024829	5	V4	67,51
<ul style="list-style-type: none"> <li>• For continuous, straight and curved cuts</li> <li>• Edges with micro-serrations for slip-proof working</li> <li>• Available in right or left cutting versions</li> </ul>								











	Order no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm <sup>2</sup> )	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
<b>Shape cutting snips D27</b>								
	D27	260	40	1,2	4010220000069	5	V4	66,35
	D27L	260	40	1,2	4010220000076	5	V4	66,35
<ul style="list-style-type: none"> <li>• For short, straight and curved cuts</li> <li>• Edges with micro-serrations for slip-proof working</li> <li>• Available in right or left cutting versions</li> </ul>								
<b>Straight cutting snips D27B</b>								
	D27B	260	32	1,2	4010220000144	5	V4	71,71
	D27BL	260	32	1,2	4010220019467	5	V4	71,71
<ul style="list-style-type: none"> <li>• For continuous, straight cuts</li> <li>• Edges with micro-serrations for slip-proof working</li> <li>• Available in right or left cutting versions</li> </ul>								
<b>Shape and straight cutting snips, robust D17ASS/D17A</b>								
	D17ASS	240	24	1,5	4010220000243	5	V4	99,87
	D17ASSL	240	24	1,5	4010220000250	5	V4	99,87
	D17A	240	24	1,2	4010220019528	5	V4	84,92
	D17AL	240	24	1,2	4010220019559	5	V4	84,92
<ul style="list-style-type: none"> <li>• For continuous, straight and curved cuts</li> <li>• Edges with micro-serrations for slip-proof working</li> <li>• Exceptionally robust: Drop-forged handles</li> <li>• Painted handles</li> <li>• Available in right or left cutting versions</li> </ul>								
<b>Ideal snips, manoeuvrable D08</b>								
	D08	230	27	1,2	4010220000007	5	V4	52,80
	D08L	230	27	1,2	4010220000014	5	V4	52,80
	D08-SB	230	27	1,2	4010220024720	5	V4	53,97
	D08L-SB	230	27	1,2	4010220024737	5	V4	53,97
<ul style="list-style-type: none"> <li>• Special flat cutter head enables cutting in narrowest radius</li> <li>• For continuous, straight and curved cuts</li> <li>• Edges with micro-serrations for slip-proof working</li> <li>• Available in right or left cutting versions</li> </ul>								
<b>MULTISNIP Longstyle D22A</b>								
	D22A	280	64	1,2	4010220028315	5	V4	61,68
	D22A-SB	280	64	1,2	4010220030745	5	V4	62,83
<ul style="list-style-type: none"> <li>• For long continuous straight and large radius cuts</li> <li>• Extra long cutting blades, laterally displaced for continuous cuts</li> <li>• Available only in left cutting version</li> </ul>								
<b>Aviation snips D16</b>								
	D16	240	40	1,2	4010220019146	10	V4	36,67
	D16-SB	240	40	1,2	4010220024744	10	V4	37,84
<ul style="list-style-type: none"> <li>• For short, straight and curved cuts</li> <li>• Edges with micro-serrations for slip-proof working</li> <li>• Left cut model available as well</li> </ul>								
<b>Aviation snips D16L</b>								
	D16L	240	40	1,2	4010220000038	10	V4	36,67
	D16L-SB	240	40	1,2	4010220024751	10	V4	37,84
<ul style="list-style-type: none"> <li>• For short, straight and curved cuts</li> <li>• Edges with micro-serrations for slip-proof working</li> <li>• Right cut model available as well</li> </ul>								










	Order no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm <sup>2</sup> )	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
<b>Aviation snips D16S</b>								
	D16S	240	44	1,2	4010220001509	10	V4	36,67
	D16S-SB	240	44	1,2	4010220024768	10	V4	37,84
<ul style="list-style-type: none"> <li>No offset to blades, for short, straight and curved cuts with a large radius in both left and right directions</li> <li>Edges with micro-serrations for slip-proof working</li> <li>Available only in left cutting version</li> </ul>								
<b>Set of aviation snips DSET16</b>								
	DSET16				4010220031254	1	V4	110,02
Contents: 1 x D16, 1 x D16L, 1 x D16S in snips pouch								
<b>Aviation snips display D16S-D</b>								
	D16S-D				4010220031896	1	V4	440,10
Contents: 12 x D16S in sales display								
<b>Shape and straight cutting snips, small and manoeuvrable D15A</b>								
	D15A	180	20	1	4010220031308	10	V4	33,99
	D15AL	180	20	1	4010220031353	10	V4	33,99
	D15A-SB	180	20	1	4010220031315	10	V4	35,16
	D15AL-SB	180	20	1	4010220031490	10	V4	35,16
<ul style="list-style-type: none"> <li>For long continuous, straight and curved cuts</li> <li>The extremely small forged heads have optimized blade geometry is very manoeuvrable; perfect for cutting small radii and in confined spaces</li> <li>The compact design results in the highest performance with the minimum of effort</li> <li>ERGO-handle for increased comfort reduced hand fatigue!</li> <li>Available in right or left cutting versions</li> </ul>								
<b>Set of shape and straight cutting snips DSET15</b>								
	DSET15			1	4010220031582	20	V4	101,96
Contents: 1 x D15A, 1 x D15S, 1 x D15AL in snips pouch								
<b>HSS-TiN shape and straight cutting snips D27AH-TiN</b>								
	D27AH-TiN	260	33	1,2	4010220002117	1	V6	351,57
	D27AHL-TiN	260	33	1,2	4010220002124	1	V6	351,57
<ul style="list-style-type: none"> <li>TiN coated cutter head for longer service life even in case of hard materials</li> <li>Case-hardened HSS edges</li> <li>For continuous, straight and curved cuts</li> <li>Available in right or left cutting versions</li> </ul>								
<b>HSS shape and straight cutting snips D27AH</b>								
	D27AH	260	33	1,2	4010220000274	1	V6	197,86
	D27AHL	260	33	1,2	4010220000281	1	V6	197,86
<ul style="list-style-type: none"> <li>For continuous, straight and curved cuts</li> <li>Edges made of case-hardened HSS</li> <li>Available in right or left cutting versions</li> </ul>								
<b>HSS punch snips D407</b>								
	D407-275	275	42	1	4010220000298	1	V6	135,96
	D407-275L	275	42	1	4010220000304	1	V6	135,96
	D407-300	300	43	1	4010220000311	1	V6	147,29
	D407-300L	300	43	1	4010220000328	1	V6	147,29
<ul style="list-style-type: none"> <li>For short, straight and curved cuts</li> <li>Edges made of case-hardened HSS</li> <li>PVC dipped handles</li> <li>Available in right or left cutting versions</li> </ul>								










	Order no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm <sup>2</sup> )	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
<b>HSS shape and straight cutting snips D416</b>								
	D416-280	280	34	1	4010220000373	1	V6	178,82
	D416-280L	280	34	1	4010220000380	1	V6	178,82
<ul style="list-style-type: none"> <li>For continuous, straight and curved cuts</li> <li>Cutting edges made of case-hardened HSS</li> <li>PVC dipped handles</li> <li>Available in right or left cutting versions</li> </ul>								
<b>HSS shape and straight cutting snips HSS D416-280L</b>								
	D418-300	300	62	1	4010220000397	1	V6	187,11
	D418-350	350	65	1	4010220000403	1	V6	238,15
<ul style="list-style-type: none"> <li>For long continuous and straight cuts</li> <li>Cutting edges made of case-hardened HSS</li> <li>PVC dipped handles</li> <li>Available only in right cutting version</li> </ul>								
<b>Shape and straight cutting snips D212/D116</b>								
	D216-260	260	30	1	4010220001295	5	V5	59,46
	D216-260L	260	30	1	4010220001301	5	V5	59,46
	D216-280	280	34	1	4010220020333	5	V5	67,51
	D216-280L	280	34	1	4010220020371	5	V5	67,51
	D116-260	260	30	1	4010220020258	5	V5	52,44
	D116-260L	260	30	1	4010220001264	5	V5	52,44
	D116-260-SB	260	30	1	4010220024874	5	V5	53,62
	D116-260L-SB	260	30	1	4010220024881	5	V5	53,62
	D116-280	280	34	1	4010220020302	5	V5	59,68
	D116-280L	280	34	1	4010220020326	5	V5	59,68
	D116-280-SB	280	34	1	4010220024898	5	V5	60,86
	D116-280L-SB	280	34	1	4010220024904	5	V5	60,86
<ul style="list-style-type: none"> <li>For continuous, straight and curved cuts</li> <li>D216 – Painted handles</li> <li>D116 – PVC dipped handles</li> <li>Available in right or left cutting versions</li> </ul>								
<b>Set of standard tin snips DSET-SF3</b>								
	DSET-SF3				4010220022030	1	V5	201,37
Contents: 1 x D216-280, 1 x D216,280L, 1 x D218-300 in snips pouch								
<b>Shape and straight cutting snips D216...-SBSK</b>								
	D216-280-B-SBSK	280	34	1	4010220025697	5	V5	69,50
	D216-280L-B-SBSK	280	34	1	4010220025703	5	V5	69,50
<ul style="list-style-type: none"> <li>For continuous, straight and curved cuts</li> <li>With no opening stop and with extra pointed cutter head</li> <li>Edges with micro-serrations for slip-proof working</li> <li>Particularly robust, for unusually challenging situations: Snips completely tempered and burnished. Cutter inductively hardened</li> <li>PVC dipped handles</li> <li>Available in right or left cutting versions</li> </ul>								
<b>Pelican snips D218/D118</b>								
	D218-300	300	62	1	4010220020555	5	V5	66,35
	D218-300L	300	62	1	4010220001424	5	V5	66,35
	D218-350	350	65	1	4010220001448	5	V5	78,49
	D118-300	300	62	1	4010220020517	5	V5	49,99
	D118-300L	300	62	1	4010220001387	5	V5	49,99
	D118-300-SB	300	62	1	4010220025345	5	V5	51,15
	D118-300L-SB	300	62	1	4010220030110	5	V5	51,15
D118-350	350	65	1	4010220001400	5	V5	58,75	
<ul style="list-style-type: none"> <li>For long continuous and straight cuts</li> <li>Extra long blade is ideal for cutting through metal sheets</li> <li>D218 – Painted handles</li> <li>D118 – PVC dipped handles</li> <li>Available as right cutter (in 300 mm dimension also available as left cutter)</li> </ul>								








	Order no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm <sup>2</sup> )	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
<b>Shape cutting punch snips D214/D114</b>								
	• For short, straight and curved cuts (especially small radii) • Very slick cutting head • D214 – Painted handles • D114 – PVC dipped handles • Available in right or left cutting versions	D214-250	250	37	1	4010220001134	5 V5	46,72
		D214-250L	250	37	1	4010220001141	5 V5	46,72
		D114-250	250	37	1	4010220024607	5 V5	33,06
		D114-250L	250	37	1	4010220001080	5 V5	33,06
<b>Punch snips D207/D107</b>								
	• For short, straight and curved cuts • D207 – Painted handles • D107 – PVC dipped handles • Available in right or left cutting versions	D207-250	250	42	1	4010220020012	5 V5	42,52
		D207-250L	250	42	1	4010220000878	5 V5	42,52
		D207-275	275	42	1	4010220000885	5 V5	46,84
		D207-275L	275	42	1	4010220000892	5 V5	46,84
		D207-300	300	47	1	4010220000908	5 V5	52,80
		D207-300L	300	47	1	4010220000915	5 V5	52,80
		D107-250	250	42	1	4010220019832	5 V5	30,25
		D107-250L	250	42	1	4010220000786	5 V5	30,25
		D107-250-SB	250	42	1	4010220025178	5 V5	31,42
		D107-250L-SB	250	42	1	4010220025185	5 V5	31,42
		D107-275	275	42	1	4010220019900	5 V5	33,06
		D107-275L	275	42	1	4010220019955	5 V5	33,06
D107-300	300	47	1	4010220019986	5 V5	36,21		
D107-300L	300	47	1	4010220000823	5 V5	36,21		
<b>Punch snips with curved blades D208</b>								
	• Especially for circular cuts • Semi-circular edges • Painted handles • Available in right or left cutting versions	D208-275	275	40	1	4010220001035	5 V5	102,09
		D208-275L	275	40	1	4010220020111	5 V5	102,09
<b>Universal snips D106</b>								
	• For straight and curved cuts • PVC dipped handles • Available only in right cutting version	D106-250-SB	250	68	1	4010220030905	5 V5	36,91
<b>Universal snips with wide blade D106A</b>								
	• For straight and curved cuts (large radii) • PVC dipped handles • Available only in right cutting version	D106A-250-SB	250	67	1	4010220025635	5 V5	37,37
<b>Berlin pattern snips D202/D102</b>								
	• For straight cuts • D202 – Painted handles • D102 – PVC dipped handles • Available only in right cutting version	D202-250	250	60	1	4010220000571	5 V5	35,62
		D202-300	300	79	1	4010220000595	5 V5	44,61
		D102-250	250	60	1	4010220000519	5 V5	25,23
		D102-250-SB	250	60	1	4010220024843	5 V5	26,39
		D102-300	300	79	1	4010220000533	5 V5	31,42
<b>American pattern snips D146</b>								
	• For straight cuts • Available only in left cutting version • PVC dipped handles	D146-200	200	41	1	4010220023334	6 V5	19,98
		D146-250	250	54	1	4010220023341	6 V5	23,02
		D146-300	300	68	1	4010220023358	6 V5	29,55
		D146-350	350	72	1	4010220023365	6 V5	40,06

	Order no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm <sup>2</sup> )	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
<b>Display, unstocked DVK</b>								
	• Wire display for up to 42 snips, 6 different types of snips • With label, adhesive label and scanner rail • For counter and perforated panel	DVK				4010220030998	1 V6	190,27
<b>Strong multi-purpose cutters D52-2</b>								
	• Cutting edge and handle forged in one piece for high stability • Edges with serrations for slip-proof working • ERGO-handle for increased comfort – reduced hand fatigue • Blades are sandblasted and chromium-plated for corrosion protection • Cuts cold-rolled steel up to 0.6 mm thick	D52-2	200	53		4010220031971	10 V5	26,28
<b>MULTISNIP Master D51A</b>								
	• For long continuous straight and curved cuts • All metal parts are made of stainless steel • Handle made of robust fibreglass-reinforced plastic with a soft material insert	D51A	235	50	0,4	4010220028933	5 V5	23,95
<b>Combinox D50</b>								
	• Stainless steel blades • Ergonomically designed handles with soft-insert • With wire guide for cutting binding wire to Ø 2.5 mm • Circular cutting to stop for stripping cable from Ø 1.0 to 1.5 mm	D50	190	40		4010220018439	10 V5	28,14
<b>Multi-purpose cutters D47-2/D48-2</b>								
	• ERGO-handle for increased comfort – reduced hand fatigue! • Stainless steel blades	D47-2	140	31		4010220030172	15 V5	19,73
		D48-2	190	42		4010220030141	10 V5	21,61
<b>Angled combi snips D48A-2</b>								
	• ERGO-handle for increased comfort – reduced hand fatigue! • Stainless steel blades • Offset blades	D48A-2	190	36		4010220030165	10 V5	22,66
<b>Cable cutters D49-2</b>								
	• ERGO-handle for increased comfort – reduced hand fatigue! • For multicore cables with diameter up to 10 mm • Stainless steel blades	D49-2	165			4010220030158	10 V5	22,66
<b>Multi-purpose cutters D47/D48</b>								
	• Stainless steel blades • Edges with serrations for slip-proof working	D47	140	31		4010220024478	15 V5	16,00
		D48	190	42		4010220024522	10 V5	17,40

	Order no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm <sup>2</sup> )	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
<b>Angled combi snips D48A</b>								
	D48A	190	38		4010220024539	10	V5	18,69
	<ul style="list-style-type: none"> <li>Stainless steel blades</li> <li>Offset blades</li> <li>Edges with serrations for slip-proof working</li> </ul>							
<b>Cable cutters D49</b>								
	D49	160			4010220024454	10	V5	18,69
	<ul style="list-style-type: none"> <li>For multicore cables with diameter up to 10 mm</li> <li>Stainless steel blades</li> </ul>							
<b>Folding utility knife DBK-EU</b>								
	DBKPH-EU	160	28		4010220030509	12	V6	27,21
	<ul style="list-style-type: none"> <li>Comfortable plastic handle</li> <li>Thumb cushion for max. contact pressure</li> <li>Blade compartment with 5 replacement blades included</li> <li>Quick blade exchange</li> <li>Belt clip</li> </ul>							
	DBKWH-EU	160	28		4010220030516	12	V6	25,34
	<ul style="list-style-type: none"> <li>High quality wooden handle</li> <li>Quick blade exchange</li> <li>Belt clip</li> </ul>							
	DBKAH-EU	160	28		4010220030523	12	V6	23,71
	<ul style="list-style-type: none"> <li>Light weight aluminium handle</li> <li>Quick blade exchange</li> <li>Belt clip</li> </ul>							
<b>Knife-set DBKPH-SET</b>								
	DBKPH-SET				4010220030752	8	V6	40,30
	<ul style="list-style-type: none"> <li>Knife with comfortable plastic handle</li> <li>Practical nylon zip-up case</li> <li>Four different blades for different tools</li> </ul>							
<b>Spare blades DBK</b>								
	DBK-T	60			4010220030790	50	V6	4,55
	DBK-H	50			4010220030806	50	V6	7,36
	DBK-L	87			4010220030813	50	V6	7,94
<b>Multitool DBST</b>								
	DBST		55		4010220031483	8	V6	36,67
	<ul style="list-style-type: none"> <li>1 Multitool with 7 options: Shears, blade, saw, file, Phillips head screwdriver and large and small slotted screwdriver</li> <li>Cuts: Leather, rope, vinyl, thin cable, cord, thin plastic, paper and much more besides</li> <li>With a robust belt pouch for secure, it provides handy storage</li> <li>Stainless steel handle with soft cushioned elements for slip-free work</li> </ul>							
<b>Jewellers' snips D70/D71</b>								
	D70-1	180	31		4010220001875	12	V5	16,58
	D71-1	175	32		4010220001899	12	V5	18,80
	<ul style="list-style-type: none"> <li>Closed handles</li> <li>Completely nickel coated</li> </ul>							
<b>Jewellers' snips D72</b>								
	D72-1	180	31		4010220001912	12	V5	16,58
	<ul style="list-style-type: none"> <li>Open handles</li> <li>Completely nickel coated</li> </ul>							

	Order no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm <sup>2</sup> )	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
<b>Jewellers' snips D74/D75</b>								
	D74-1	180	34		4010220001950	12	V5	16,24
	D75-1	175	33		4010220001974	12	V5	18,80
	<ul style="list-style-type: none"> <li>With handle loops</li> <li>Completely nickel coated</li> </ul>							
<b>Jewellers' snips D76</b>								
	D76-1	180	26		4010220001998	12	V5	19,04
	<ul style="list-style-type: none"> <li>Closed handle with spring</li> <li>Completely nickel coated</li> </ul>							
<b>Multi-purpose shears D820</b>								
	D820-200	200	80		4010220029985	12	V5	17,76
	D820-250	250	105		4010220029992	12	V5	24,29
	<ul style="list-style-type: none"> <li>Stainless steel blades</li> <li>Comfortable handles loops with soft cushion inserts</li> </ul>							
<b>Multi-purpose shears D821</b>								
	D821-160	160	70		4010220002537	12	V5	13,31
	D821-180	180	80		4010220002544	12	V5	15,89
	<ul style="list-style-type: none"> <li>Stainless steel blades</li> <li>Comfortable handles loops with soft cushion inserts</li> </ul>							
<b>Electricians' scissors D53</b>								
	D53	125	40		4010220002063	12	V5	16,58
	<ul style="list-style-type: none"> <li>Nickel plated serrated blades</li> <li>With a wire cutter</li> </ul>							
<b>Household and dressmakers' shears D840</b>								
	D840-150	150	50		4010220002612	12	V5	12,73
	D840-180	180	77		4010220002629	12	V5	16,58
	<ul style="list-style-type: none"> <li>Completely nickel coated</li> </ul>							
<b>Paperhangers' and paper shears D853</b>								
	D853-200	200	95		4010220002766	12	V5	21,26
	<ul style="list-style-type: none"> <li>Completely nickel coated</li> </ul>							
<b>Industrial and professional shears D860</b>								
	D860-200	200	80		4010220024553	6	V5	22,19
	D860-225	225	85		4010220002827	6	V5	27,79
	D860-250	250	90		4010220024560	6	V5	34,33
	<ul style="list-style-type: none"> <li>Robust design</li> <li>Black handle</li> <li>Oblong and round handle loops</li> </ul>							
<b>Safety strap cutter D123S</b>								
	D123S	260	38		4010220030981	5	V5	166,80
	D123S-SB	260	38		4010220031018	5	V5	167,96
	<ul style="list-style-type: none"> <li>One-handed operation with little effort thanks to double leverage</li> <li>Metal fastening will not spring up dangerously due to safety hold mechanism in the snip</li> <li>Flat lower jaw easily slips under taut banding</li> <li>Can even be used with hardened steel belts (560 N/mm<sup>2</sup>) with belt widths up to 32 mm, belt thicknesses up to 1 mm</li> <li>Induction hardened cutting edge for a long service life</li> <li>ERGO-handle for increased comfort – reduced hand fatigue!</li> </ul>							

	Order no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm <sup>2</sup> )	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR	
<b>Steel strap cutter D122N</b>									
	• The lower holder prevents band ends from springing up • For band width up to 25 mm, band thickness up to 0.6 mm • Flat lower jaw easily slips under taut banding • Painted handles	D122N	225	31	4010220020616	5	V5	46,01	
<b>Steel strap cutter D122A</b>									
	• Flat lower jaw easily slips under taut banding • High price to performance ratio • For band width up to 25 mm, band thickness up to 0.6 mm • PVC dipped handles	D122A D122A-SB	260 260	30 30	4010220001585 4010220030912	5 5	V5 V5	42,29 43,45	
<b>Seaming and clinching pliers D33/D34/D35</b>									
	• Forged in quality steel • Black powder coated • Minimum jaw depth straight 60 mm • Minimum jaw depth bent 50 mm	D33-60	280		4010220003091	6	V6	89,47	
		D331-40	280		4010220027424	6	V6	65,88	
		D331-60	280		4010220003114	6	V6	52,80	
		D331-80	320		4010220034682	5	V6	108,18	
		D34-60	270		4010220003145	6	V6	102,43	
		D341-40	270		4010220027431	6	V6	79,54	
		D341-60	270		4010220021989	6	V6	56,42	
		D341-80	320		4010220034699	5	V6	120,74	
		D35-60	255		4010220003183	6	V6	106,76	
		D351-60	255		4010220003190	6	V6	64,35	
<b>Seaming and clinching pliers D33-P/D34-P/D35-P</b>									
	• Forged in quality steel • Black powder coated • PVC-coated handle • Minimum jaw depth straight 60 mm • Minimum jaw depth bent 50 mm	D33-60-P	280		4010220021927	6	V6	91,46	
		D331-60-P	280		4010220021941	6	V6	54,77	
		D34-60-P	270		4010220021972	6	V6	104,42	
		D341-60-P	270		4010220022009	6	V6	58,39	
		D35-60-P	255		4010220022047	6	V6	108,74	
		D351-60-P	255		4010220022078	6	V6	66,35	
<b>Mini-folding pliers D331-22/D341-22</b>									
		• For small and precise seaming – and bending operations • Forged from quality steel • PVC-coated handles • Completely hardened • Jaw depth straight 30 mm • Jaw depth bent 28 mm	D331-22 D341-22	180 180		4010220002575 4010220002681	10 10	V6 V6	55,37 61,90

	Order no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm <sup>2</sup> )	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
<b>Flat-nosed pliers for sheet metal work D301</b>								
	• Forged from quality steel • PVC-coated handles • Flat jawed pliers • Jaw depth 45 mm • Serration every 0.8 mm	D301	240		4010220003015	6	V6	52,33
<b>Round nosed pliers D311</b>								
	• Forged from quality steel • PVC-coated handles • Round jawed pliers • Jaw depth 50 mm • Serration every 1 mm	D311	260		4010220003039	6	V6	52,33
<b>Folding pliers D355</b>								
	• Forged from quality steel • Bronzed • PVC-coated handles	D355	250		4010220034675	5	V6	80,09
<b>Corner seaming and clinching pliers D335</b>								
	• Forged from quality steel • Bronzed • PVC-coated handles • Jaw depth 65 mm	D335	280		4010220034651	5	V6	115,72
<b>Squeeze-folding pliers D336</b>								
	• Forged in quality steel • Burnished • PVC-coated handles • Jaw depth 80 mm	D336	320		4010220034668	5	V6	169,03
<b>Pipe-pulling pliers D36</b>								
	• 3 bottom- and 2 top jaws enable quick and efficient work • Self-opening • Completely galvanised • PVC-coated handles • Jaw depth 28 mm	D36	250		4010220002407	1	V6	55,02
<b>Gutter support bowing pliers open shap D396</b>								
	• 10 mm recess width for gutter irons up to 40 x 6 mm • Head made of rust-proof malleable cast iron • Gliding role for protecting the plastic-coated gutter irons	D396	680		4010220002704	1	V6	146,44

# Clamping tools and Cutting tools by professionals for professionals



When it comes to innovative solutions for clamping and fixing workpieces and cutting sheet metal, this is the right place. No matter if classic clamps, traditional sheet metal snips or special solutions are required for special work requirements, BESSEY offers the right clamping and cutting tool for every craftsman in wood and metalworking in order to optimally support it in its work.



Detailed information  
about all products at  
[www.bessey.de/en-gb](http://www.bessey.de/en-gb)

## Clamping tools




High-performance clamps



Grip pliers



Metal angle clamps




Clamping elements for  
welding tables


## Cutting tools



Compound leverage snips



Shape and straight cutting snips  
D15A



Multi-purpose cutters



Folding utility knives  
and multitool



BESSEY  
Imagefilm

BESSEY Tool GmbH & Co. KG ■ Mühlwiesenstraße 40  
74321 Bietigheim-Bissingen, Germany  
Fon +49 7142 401-0 ■ Fax +49 7142 401-452  
E-Mail: [tool-info@bessey.de](mailto:tool-info@bessey.de)

More information  
[www.bessey.de](http://www.bessey.de)

